St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/1/83

Page No. 19

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.30 | 101.30 | .83 | 100.47 | | | Sq. 98A NW Opening |
| | | | | .94 | 100.36 | | | NE |
| | | | | .97 | 100.33 | | | SE |
| | | | | .86 | 100.44 | | | SW |
| | | | | 1.07 | 100.23 | | | Sq 98A NW Closing |
| | | | | 1.13 | 100.17 | | | NE |
| | | | | 1.18 | 100.12 | | | SE |
| | | | | 1.13 | 100.17 | | | SW |
| | | | | 1.15 | 100.15 | | | Center |
| | | | | .61 | 100.69 | | | Sq. 139B NW Opening |
| | | | | .63 | 100.67 | | | NE |
| | | | | .64 | 100.66 | | | SE |
| | | | | .72 | 100.58 | | | SW |
| | | | | .92 | 100.38 | | | Sq 139B NW Closing |
| | | | | .92 | 100.38 | | | NE |
| | | | | .95 | 100.35 | | | SE |
| | | | | .95 | 100.35 | | | SW |
| | | | | .95 | 100.35 | | | Center |
| | | | | .66 | 100.64 | | | Sq. 178A NW Opening |
| | | | | .74 | 100.56 | | | NE |
| | | | | .70 | 100.60 | | | SE |
| | | | | .58 | 100.72 | | | SW |
| | | | | .91 | 100.39 | | | Sq 178A NW Closing |
| | | | | .93 | 100.37 | | | NE |
| | | | | .93 | 100.37 | | | SW |
| | | | | .90 | 100.40 | | | SE |
| | | | | .93 | 100.37 | | | Center |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/1/83

Page No. 20

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.30 | 1.94 | 99.36 | | | Sq. 126 C NW opening |
| | | | | 1.98 | 99.32 | | | NE |
| | | | | 2.14 | 99.16 | | | SE |
| | | | | 2.08 | 99.22 | | | SW |
| | | | | 2.19 | 99.11 | | | Sq. 126 C NW Closing |
| | | | | 2.20 | 99.10 | | | NE |
| | | | | 2.30 | 99.00 | | | SE |
| | | | | 2.23 | 99.07 | | | SW |
| | | | | 2.24 | 99.06 | | | Center |
| | | | | 1.63 | 99.63 | | | Sq. 145A NW Opening |
| | | | | 1.69 | 99.61 | | | NE |
| | | | | 1.79 | 99.51 | | | SE |
| | | | | 1.76 | 99.54 | | | SW |
| | | | | 1.93 | 99.37 | | | Sq. 145A NW Closing |
| | | | | 1.95 | 99.35 | | | NE |
| | | | | 2.02 | 99.28 | | | SE |
| | | | | 1.98 | 99.32 | | | SW |
| | | | | 1.98 | 99.32 | | | Center |
| | | | | 1.54 | 99.76 | | | Sq. 204 B NW Opening |
| | | | | 1.73 | 99.57 | | | NE |
| | | | | 1.74 | 99.56 | | | SE |
| | | | | 1.56 | 99.74 | | | SW |
| | | | | 1.87 | 99.43 | | | Sq. 204B NW Closing |
| | | | | 2.02 | 99.28 | | | NE |
| | | | | 2.02 | 99.28 | | | SE |
| | | | | 1.88 | 99.42 | | | SW |
| | | | | 1.99 | 99.31 | | | Center |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV171

Project Cumberland

Date 7/1/83

Page No. 21

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.30 | 1.30 | 100.00 | | | Sq. 245C NW Opening |
| | | | | 1.42 | 99.88 | | | NE |
| | | | | 1.45 | 99.85 | | | SE |
| | | | | 1.23 | 100.07 | | | SW |
| | | | | 1.54 | 99.76 | | | Sq. 245C NW Closing |
| | | | | 1.66 | 99.64 | | | NE |
| | | | | 1.67 | 99.63 | | | SE |
| | | | | 1.59 | 99.71 | | | SW |
| | | | | 1.62 | 99.68 | | | Center |
| | | | | 1.08 | 100.22 | | | Sq. 266C NW Opening |
| | | | | 1.25 | 100.05 | | | NE |
| | | | | 1.23 | 100.07 | | | SE |
| | | | | 1.17 | 100.13 | | | SW |
| | | | | 1.33 | 99.97 | | | Sq. 266C NW Closing |
| | | | | 1.42 | 99.88 | | | NE |
| | | | | 1.44 | 99.86 | | | SE |
| | | | | 1.38 | 99.92 | | | SW |
| | | | | 1.39 | 99.91 | | | Center |
| | | | | 1.12 | 100.18 | | | Sq. 344D NW Opening |
| | | | | 1.24 | 100.06 | | | NE |
| | | | | 1.30 | 100.00 | | | SE |
| | | | | 1.18 | 100.12 | | | SW |
| | | | | 1.36 | 99.94 | | | Sq. 344D NW Closing |
| | | | | 1.47 | 99.83 | | | NE |
| | | | | 1.53 | 99.77 | | | SE |
| | | | | 1.44 | 99.86 | | | SW |
| | | | | 1.44 | 99.86 | | | Center |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/1/83

Page No. 22

Ground Surface

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.30 | 1.96 | 99.34 | | | N152 W68 |
| | | | | 1.69 | 99.61 | | | W72 |
| | | | | 1.37 | 99.93 | | | W76 |
| | | | | 1.24 | 100.06 | | | W80 |
| | | | | 108 | 100.22 | | | W84 |
| | | | | .97 | 100.33 | | | W88 |
| | | | | .83 | 100.47 | | | W92 |
| | | | | .73 | 100.57 | | | W96 |
| | | | | .71 | 100.59 | | | W100 |
| | | | | 1.81 | 99.49 | | | N156 W68 |
| | | | | 1.57 | 99.73 | | | W72 |
| | | | | 1.32 | 98.98 | | | W76 |
| | | | | 1.21 | 100.09 | | | W80 |
| | | | | .88 | 100.42 | | | W84 |
| | | | | .92 | 100.38 | | | W88 |
| | | | | .83 | 100.47 | | | W92 |
| | | | | .70 | 100.60 | | | W96 |
| | | | | .70 | 100.60 | | | W100 |
| | | | | .65 | 100.65 | | | N160 W100 |
| | | | | .65 | 100.65 | | | W96 |
| | | | | .77 | 100.53 | | | W92 |
| | | | | .87 | 100.47 | | | W88 |
| | | | | .95 | 100.35 | | | W84 |
| | | | | 1.15 | 100.15 | | | W80 |
| | | | | 1.33 | 99.97 | | | W76 |
| | | | | 1.51 | 99.79 | | | W72 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV171

Project Cumberland

Date 7/1/83

Page No. 23

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.30 | 1.76 | 99.54 | | | N160 W68 |
| | | | | 1.59 | 99.71 | | | N164 W68 |
| | | | | 1.44 | 99.86 | | | W72 |
| | | | | 1.14 | 100.16 | | | W76 |
| | | | | 1.16 | 100.14 | | | W80 |
| | | | | .92 | 100.38 | | | W84 |
| | | | | .83 | 100.47 | | | W88 |
| | | | | .68 | 100.62 | | | W92 |
| | | | | .58 | 100.72 | | | W96 |
| | | | | .63 | 100.67 | | | V100 |
| | | | | .64 | 100.66 | | | N168 V100 |
| | | | | .64 | 100.66 | | | W96 |
| | | | | .61 | 100.69 | | | W92 |
| | | | | .79 | 100.51 | | | W88 |
| | | | | .98 | 100.32 | | | W84 |
| | | | | 1.03 | 100.27 | | | W80 |
| | | | | 1.17 | 100.13 | | | W76 |
| | | | | 1.34 | 99.96 | | | W72 |
| | | | | 1.53 | 99.77 | | | W68 |
| | | | | 1.40 | 99.90 | | | N172 W68 |
| | | | | 1.27 | 100.03 | | | W72 |
| | | | | 1.03 | 100.27 | | | W76 |
| | | | | 1.01 | 100.29 | | | W80 |
| | | | | .64 | 100.46 | | | W84 |
| | | | | .78 | 100.52 | | | W88 |
| | | | | .68 | 100.62 | | | W92 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/1/83

Page No. 24

| STATION | B.M. el | + B.S. | = H.I. | - READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.30 | .65 | 100.65 | | | N172 W96 |
| | | | | .64 | 100.66 | | | N100 |
| | | | | .74 | 100.56 | | | N176 W100 |
| | | | | .64 | 100.66 | | | W96 |
| | | | | .76 | 100.54 | | | W92 |
| | | | | .78 | 100.52 | | | W88 |
| | | | | .89 | 100.41 | | | W84 |
| | | | | 1.04 | 100.26 | | | W80 |
| | | | | 1.06 | 100.24 | | | W76 |
| | | | | 1.23 | 100.07 | | | W72 |
| | | | | 1.35 | 99.95 | | | W68 |
| | | | | 1.23 | 100.07 | | | W180 W68 |
| | | | | 1.10 | 100.20 | | | W72 |
| | | | | 1.08 | 100.22 | | | W76 |
| | | | | .98 | 100.32 | | | W80 |
| | | | | .79 | 100.51 | | | W84 |
| | | | | .67 | 100.63 | | | W88 |
| | | | | .84 | 100.46 | | | W92 |
| | | | | .72 | 100.58 | | | W96 |
| | | | | .64 | 100.66 | | | W100 |
| — | 100m | 1.99 | 101.99 | 1.53 | 100.46 | | | N148 W99 |
| | | | | 1.52 | 100.47 | | | N152 W92 |
| N148 W94 | 100.460 | .098 | 100.558 | .385 | 100.173 | | | ① 249 F-1 Top |
| | | | | .412 | 100.146 | | | ② " Top |
| | | | | .392 | 100.166 | | | ③ " Top |
| | | | | .610 | 99.948 | | | ② " Btm |
| | | | | .440 | 100.118 | | | ③ " Btm |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/13/83

Page No. 25

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | 1.38 | 101.38 | .79 | 100.59 | | | N 156 W100 TOP P2 |
| | | | | .72 | 100.66 | | | N 156 W102 TOP P2 |
| | | | | .67 | 100.71 | | | N 156 W104 TOP P2 |
| | | | | .74 | 100.64 | | | N 156 W 106 TOP P2 |
| | | | | .76 | 100.62 | | | N 156 W 108 TOP P2 |
| | | | | .79 | 100.59 | | | N 158 W 108 TOP P2 |
| | | | | .79 | 100.59 | | | N 160 W 108 TOP P2 |
| | | | | .79 | 100.59 | | | N 160 W 106 TOP P2 |
| | | | | 1.06 | 100.32 | | | N 156 W 100 BTm P2 |
| | | | | 1.04 | 100.34 | | | N 156 W 102 BTm P2 |
| | | | | 1.03 | 100.35 | | | N 156 W104 BTm P2 |
| | | | | .98 | 100.40 | | | N 156 W106 BTm P2 |
| | | | | | | | | N 156 W108 BTm P2 |
| | | | | | | | | N 158 W108 |
| | | | | 1.14 | 100.24 | | | N 158 W 106 BTm 292 F,G,H,J |
| | | | | 1.18 | 100.20 | | | N 158 W 104 BTm 292-H,G 291-H,G |
| | | | | 1.18 | 100.20 | | | N 158 W 102 BTm 292-H,G 291 G,F 291 H,B |
| | | | | 1.04 | 100.34 | | | N 158 W 100 BTm 290 A,B 290 |
| | | | | 1.04 | 100.34 | | | N 158 W 98 BTm P2 |
| | | | | .79 | 100.59 | | | N 160 W98 TOP P2 |
| | | | | .76 | 100.62 | | | N 160 W98 TOP P2 |
| | | | | 1.04 | 100.34 | | | N 160 W98 BTm P2 |
| | | | | .75 | 100.63 | | | N 160 W100 TOP P2 |
| | | | | 1.07 | 100.31 | | | N 160 W100 BTm P2 |
| | | | | .74 | 100.64 | | | N 160 W102 TOP P2 |
| | | | | 1.04 | 100.34 | | | N 160 W 102 BTm P2 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CV

Project Cumberland

Date 7/13/83

Page No. 26

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| Datum A | 100.00 | 1.38 | 101.38 | 1.04 | 100.34 | | | TOP TRENCH N 160 W 104 BTm P2 |
| | | | | 1.03 | 100.35 | | | N 160 W 106 BTm P2 |
| | | | | 1.05 | 100.33 | | | N 160 W 108 BTM P2 |
| | | | | .80 | | | | N 160 W 108 TOP P2 |
| N 148 W 94 | 100.46 | 0.97 | 101.43 | .413 | 101.017 | - | | ① 249 F-1 bottom |
| | | | | .413 | 101.017 | | | ① 249 F-2 top |
| N 148 W 94 | 100.460 | 0.132 | 100.592 | .437 | 100.155 | | | ① 249 F-1 Top |
| | | | | .501 | 100.091 | | | ① 249 F-1 Btm |
| | | | | .326 | 100.266 | | | Datum X-Y |
| | | | | .515 | 100.077 | | | Btm F-1 ④ |
| | | | | .561 | 100.031 | | | Btm F-2 ④ |
| | | | | .504 | 100.088 | | | Btm F-2 ① |
| N 112 W 108 | 99.99 | .12 | 100.11 | .38 | 99.73 | | | TOP 72-F ① |
| | | | | .36 | 99.75 | | | ② |
| | | | | .33 | 99.78 | | | ③ |
| | | | | .39 | 99.82 | | | ④ |
| N 148 W 94 | 100.460 | .015 | 100.475 | .455 | 100.020 | | | ① Top 248 G |
| | | | | .470 | 100.005 | | | ② Top 248 G |
| | | | | .459 | 100.016 | | | ③ Top 248 G |
| | 100.460 | .065 | 100.525 | .480 | 100.045 | | | ① Btm 248 G |
| | | | 100.475 | .545 | 99.930 | | → | ② Btm 248 G |
| | | | 100.475 | .485 | 99.990 | | → | ③ Btm 248 G |

100.460
.065
100.525
.480
.045

100.525
.480
100.045

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/15/83

Page No. 27

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.68 | 101.68 | 1.10 | 100.58 | | | N160 W108 TOP P2 |
| | | | | — | | | | N160 W108 BTM P2 |
| | | | | 1.37 | 100.31 | | | N160 W108 BTM 312-I |
| | | | | 1.04 | 100.64 | | | N162 W108 TOP P2 |
| | | | | 1.33 | 100.35 | | | TOP 312-F, 312-I N 162 W108 BTM P2 |
| | | | | 1.40 | 100.28 | | | 312-I N 162 W108 BTM 312-F |
| | | | | 1.13 | 100.55 | | | N164 W108 TOP P2 |
| | | | | 1.30 | 100.38 | | | TOP 312-F N164 W108 BTM P2 |
| | | | | 1.37 | 100.31 | | | N164 W108 BTM 312F |
| | | | | 1.12 | 100.56 | | | N164 W106 TOP P2 |
| | | | | 1.33 | 100.35 | | | TOP 312F, 312G N164 W106 BTM P2 |
| | | | | 1.40 | 100.28 | | | BTM 312G N164 W106 BTM 312F |
| | | | | 1.03 | 100.65 | | | N164 W104 TOP P2 |
| | | | | 1.35 | 100.33 | | | TOP 312G, 311F N164 W104 BTM P2 |
| | | | | | | | | N164 W104 BTM 312G, 311F |
| | | | | 1.05 | 100.63 | | | N164 W102 TOP P2 |
| | | | | 1.34 | 100.34 | | | TOP 311-F N164 W102 BTM P2 |
| | | | | 1.08 | 100.60 | | | N162 W102 TOP P2 |
| | | | | 1.38 | 100.30 | | | TOP 311F, I N162 W102 BTM P2 |
| | | | | 1.05 | 100.63 | | | N160 W102 TOP P2 |
| | | | | 1.34 | 100.34 | | | TOP 311-I, 291H N160 W102 BTM P2 |
| | | | | 1.39 | 100.29 | | | BTM 311-I, N160 W102 BTM 291-H, B |
| | | | | 1.32 | 100.36 | | | TOP 312G, H, 311-F, I N162 W104 BTM P2 |
| | | | | 1.36 | 100.32 | | | BTM P2 N162 W106 TOP 312F, G, H, I |
| | | | | 1.42 | 100.26 | | | N162 W106 BTM 312F, G, H, I |
| | | | | 1.33 | 100.35 | | | N160 W106 BTM P2 |
| | | | | 1.40 | 100.28 | | | N160 W106 BTM 312 I, H BTM 272 F, G |

99.74

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 ST 171

Project Cumberland

Date 7/15/83

Page No. 28

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100 | 1.70 | 101.70 | 1.94 | 99.76 | | | N120/W104 |
| | | | | 1.99 | 99.71 | | | N120/W100 |
| | | | | 1.93 | 99.77 | | | N124/W100 |
| | | | | 1.93 | 99.77 | | | N124/W96 |
| | | | | 1.94 | 99.76 | | | N128/W96 |
| | | | | 1.98 | 99.72 | | | N128/W92 |
| | | | | 1.90 | 99.80 | | | N132/W92 |
| | | | | 1.89 | 99.71 | | | N136/W88 |
| N120 W104 | 98.76 | .192 | 98.952 | .128 | 98.824 | | | Top of 92 F ② |
| | | | | .122 | 98.830 | | | Top of 92 F ① |
| N100 W100 | 100.00 | 1.69 | 101.69 | 1.90 | 99.79 | | | N116 W108 BTM P2 |
| | | | | 1.96 | 99.73 | | | N116 W112 |
| | | | | 1.82 | 99.87 | | | N116 W116 |
| | | | | 1.73 | 99.96 | | | N116 W120 |
| | | | | 1.65 | 100.04 | | | N116 W124 |
| | | | | 1.65 | 100.04 | | | N116 W128 |
| | | | | — | — | | | N116 W132 |
| | | | | 1.89 | 99.80 | | | N120 W108 |
| | | | | 1.79 | 99.90 | | | N120 W112 |
| | | | | 1.70 | 99.99 | | | N120 W116 |
| | | | | 1.66 | 100.03 | | | N120 W120 |
| | | | | 1.59 | 100.10 | | | N120 W124 |
| | | | | 1.57 | 100.12 | | | N120 W128 |
| | | | | 1.44 | 100.25 | | | N120 W132 |
| | | | | 1.91 | 99.78 | | | N124 W104 |
| | | | | 1.81 | 99.88 | | | N124 W108 |

4
~~1.92~~
128
.824

760
.192
952

~~99.80~~ 16
~~100~~ 10
1.94
98.76

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site Cumberland 18 CV 171

Project Cumberland

Date 7/15/83

Page No. 29

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | 100.00 | 1.69 | 101.69 | 1.72 | 99.97 | | | N124 W112 BTM P2 |
| | | | | 1.63 | 100.06 | | | N124 W116 BTM P2 |
| | | | | 1.55 | 100.14 | | | N124 W120 BTM P2 |
| | | | | 1.44 | 100.25 | | | N124 W124 " |
| | | | | 1.40 | 100.29 | | | N124 W128 " |
| | | | | 1.38 | 100.31 | | | N124 W132 " |
| | | | | 1.88 | 99.81 | | | N128 W100 " |
| | | | | 1.76 | 99.93 | | | N128 W104 " |
| | | | | 1.70 | 99.99 | | | N128 W108 " |
| | | | | 1.64 | 100.05 | | | N128 W112 " |
| | | | | 1.56 | 100.13 | | | N128 W116 " |
| | | | | 1.54 | 100.15 | | | N129 W120 " |
| | | | | 1.39 | 100.30 | | | N128 W124 " |
| | | | | 1.35 | 100.34 | | | N128 W128 " |
| | | | | 1.33 | 100.36 | | | N128 W132 " |
| | | | | 1.83 | 99.86 | | | N132 W96 " |
| | | | | 1.74 | 99.95 | | | N132 W100 " |
| | | | | 1.67 | 100.02 | | | N132 W104 " |
| | | | | 1.81 | 99.88 | | | N132 W108 " |
| | | | | 1.56 | 100.13 | | | N132 W112 " |
| | | | | 1.46 | 100.23 | | | N132 W116 " |
| | | | | 1.39 | 100.30 | | | N132 W120 " |
| | | | | 1.36 | 100.33 | | | N132 W124 " |
| | | | | 1.35 | 100.34 | | | N132 W128 " |
| | | | | 1.27 | 100.42 | | | N132 W132 " |
| | | | | | | | | N132 96 " |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/15/87

Page No. 30

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.69 | 101.69 | 1.72 | 99.97 | | | N136 W96 BTm P2 |
| | | | | 1.67 | 100.02 | | | N136 W100 ↓ |
| | | | | 1.65 | 100.04 | | | N136 W104 |
| | | | | 1.53 | 100.16 | | | N136 W108 |
| | | | | 1.45 | 100.24 | | | N136 W112 |
| | | | | 1.36 | 100.33 | | | N136 W116 |
| | | | | 1.42 | 100.27 | | | N136 W120 |
| | | | | 1.39 | 100.30 | | | N136 W124 |
| | | | | 1.38 | 100.31 | | | N136 W128 |
| | | | | 1.30 | 100.39 | | | N136 W132 |
| | | | | 1.72 | 99.97 | | | N140 W92 |
| | | | | 1.64 | 100.05 | | | N140 W96 |
| | | | | T. | | | | W140 W100 |
| | | | | 1.50 | 100.19 | | | W140 W104 |
| | | | | 1.45 | 100.24 | | | W140 W108 |
| | | | | 1.48 | 100.21 | | | W140 W112 |
| | | | | 1.39 | 100.30 | | | W140 W116 |
| | | | | 1.47 | 100.22 | | | W140 W120 |
| | | | | 1.38 | 100.31 | | | W140 W124 |
| | | | | 1.39 | 100.30 | | | W140 W128 |
| | | | | | | | | ~~W140~~ W132 |
| N120 W104 | 99.760 | .125 | 99.885 | .100 | 99.785 | | | Top 111 F-1 ① |
| | | | | .080 | 99.805 | | | " ② |
| | | | | .140 | 99.745 | | | " ③ |
| | | | | .130 | 99.755 | | | Btm 92 F-1 ② |
| | | | | .145 | 99.740 | | | Btm 92 F-2 ② |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

99.770
.090
99.860

Site 18 CV 171

Project Cumberland

Date 7/15/83

Page No. ~~28~~ 31

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.68 | 101.68 | 1.40 | 100.28 | | | N158 W108 BTM 292 I, F, |
| | | | | 1.38 | 100.30 | | | N156 W108 BTM 292 I |
| | | | | 1.39 | 100.29 | | | N 156 W 106 BTM 292 I, H |
| | | | | 1.39 | 100.29 | | | N 156 W 104 BTM 292 H |
| | | | | 1.34 | 100.34 | | | N 156 W 104 BTM P2 |
| | | | | 1.39 | 100.29 | | | N 158 W 104 BTM 292 G, A |
| | | | | 1.34 | 100.34 | | | In trench N160 W104 BTM P2 |
| | | | | 1.39 | 100.29 | | | N 156 W 102 BTM 291 F, G |
| | | | | 1.34 | 100.34 | | | N158 W102 BTM P2 TOP Feature |
| | | | | 1.39 | 100.29 | | | N 156 W100 BTM 291 F |
| | | | | 1.36 | 100.32 | | | N158 W100 BTM 291 F |
| N112 W 108 | 99.99 | .10 | 100.09 | | | | | BTM 72 F-1 ① |
| | | | | | | | | ② |
| | | | .41 | .41 | 99.68 | | | ③ |
| | | | .46 | .46 | 99.63 | | | ④ |
| N 100 W100 | 100.00 | 101.68 | | | | | | Elevations of grid pt |
| | | | | | | | | |
| N112 W108 | 99.99 | .10 | 100.09 | | | | | ① BTM 72 F-2 |
| | | | | .44 | 99.65 | | | ② " " " |
| | | | | .46 | 99.63 | | | ③ " " " |
| | | | | .47 | 99.62 | | | ④ " " " |
| N124 W100 | 99.77 | .090 | 99.86 | .06 | 99.80 | | | ① Top 130 F-1 |
| | | | | .03 | 99.85 | | | ② Top 130 F-2 |
| | | | | .11 | 99.75 | | | ③ Top 130 F-1 |
| | | | | .11 | 99.75 | | | ④ " " |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cmbrlnd

Date 7/17/83

Page No. 32

N120 W104 99.760

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N120 W104 | 99.760 | .115 | 99.875 | .320 | 99.555 | | | Bottom 92 F-1 at ① |
| | 99.760 | .150 | 99.890 | .385 | 99.505 | | | Btm 92 F-2 at ① |
| N124 W100 | 99.77 | .090 | 99.86 | .230 | 99.630 | | | Btm 111 F-1 ② |
| | | | | .250 | 99.610 | | | " ③ |
| N128 W96 | 99.76 | .170 | 99.930 | .090 | 99.840 | | | ① Top 149 F-1 |
| | | | | .126 | 99.804 | | | ② " |
| | | | | .175 | 99.755 | | | ③ " |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| N132 W92 | 99.80 | .040 | 99.84 | .015 | 99.825 | | | Top 169 F-1 ① |
| | | | | .065 | 99.775 | | | ② |
| | | | | .045 | 99.795 | | | ③ |
| N128 W96 | 99.76 | .170 | 99.930 | .315 | 99.615 | | | TOP 149 F-2 BTM 149 F-1 ③ |
| | | | | .215 | 99.715 | | | ② |
| | | | | .260 | 99.670 | | | ① |
| N128 W96 | 99.76 | .175 | 99.935 | .275 | 99.660 | | | BTM 149 F-2 ① |
| | | | | .240 | 99.695 | | | ② |
| | | | | .340 | 99.595 | | | ③ |
| N124 W100 | 99.770 | .095 | 99.865 | .170 | 99.695 | | | BTM 111 F-3 ① |
| N112 W108 | 99.99 | .093 | 100.083 | | | | | |
| | | | | .445 | 99.638 | | | Btm 72 F-1 ① |
| | | | | .444 | 99.639 | | | BTM 72 F-1 ② |
| N120 W104 | 99.760 | .120 | 99.880 | .560 | 99.320 | | | BTM 111 F-2 ① |
| | | | | .365 | 99.515 | | | " ② |
| | | | | .375 | 99.505 | | | " ③ |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 Cu 171

Project Cumberland

Date 7/21

Page No. 39

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| N124 W100 | 99.77 | .170 | 99.94 | .160 | 99.78 | | | | Top 110 E (1) |
| | | .130 | 99.90 | .16 | 99.74 | | | | " " (2) |
| | 99.77 | .090 | 99.860 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| N132 W92 | 99.80 | .170 | 99.970 | .205 | 99.765 | | | | Top 149 E (1) |
| | | | | .185 | 99.785 | | | | " (2) |
| N132 W92 | 99.80 | .165 | 99.965 | .210 | 99.755 | | | | Top 169 F-2 Bttm 169 F-1 (1) |
| | | | | .240 | 99.725 | | | | Top 169 F-2 Bttm 169 F-1 (2) |
| | | | | .205 | 99.760 | | | | Top 169 F-2 Bttm 169 F-1 (3) |
| | | | | | | | | | |
| N124 W100 | 99.77 | .090 | 99.860 | .138 | 99.632 | | | | Btm 130 F-2 (1) |
| | | | | .335 | 99.525 | | | | Top 130 F-3 (2) |
| | | | | .345 | 99.515 | | | | Top 130 F-3 (3) |
| | | | | .310 | 99.550 | | | | Btm 130 F-1 (1) |
| | | | | .220 | 99.64 | | | | " " (3) |
| | | | | .250 | 99.61 | | | | " " (5) |
| | | | | .435 | 99.425 | | | | Btm 130 F-3 (1) |
| | | | | .580 | 99.280 | | | | (2) |
| | | | | .470 | 99.390 | | | | (3) |
| | | | | | | | | | |
| N132 W92 | 99.80 | .165 | 99.965 | .280 | 99.685 | | | | Top Post Mold (1) (2) 149 E |
| | | | | .280 | 99.685 | | | | " " (2) 3 |
| | | | | .250 | 99.715 | | | | " " (3) 4 |
| | | | | .293 | 99.672 | | | | " " (4) 5 |
| | | | | .310 | 99.655 | | | | " " (5) 6 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/20/02

Page No. 34

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N120 W104 | 99.76 | .110 | 99.870 | .350 | 99.520 | | | Btm. 111 F-1 ① |
| | | | | | | | | Btm 111 F-2 ① |
| | | | | .105 | 99.765 | | | Top 91 E ① |
| | | | | .080 | 99.790 | | | " ② |
| | | | | .090 | 99.780 | | | " ③ |
| N132 W92 | 99.80 | .155 | 99.955 | .475 | 99.480 | | | Btm 149 E ① |
| | | | | .425 | 99.530 | | | " ② |
| | | | | .395 | 99.560 | | | " ③ |
| | | .155 | 99.955 | .260 | 99.695 | | | Bttm 169 F-2 ① |
| | | | | .262 | 99.693 | | | Bttm 169 F-2 ② |
| | | | | .220 | 99.735 | | | Bttm 169 F-2 ③ |
| N120 W100 | 99.71 | .145 | 99.595 | .333 | 99.262 | | | BTTM 110 E ① |
| | | | | .456 | 99.139 | | | BTTM 110 E ② |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/28/83

Page No. 35

Topo Mapping

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| N160 W100 | 100.00 | 1.91 | 101.91 | 1.30 | 100.61 | | | | N152 W104 |
| | | | | 1.36 | 100.55 | | | | W108 |
| | | | | 1.31 | 100.60 | | | | W112 |
| | | | | 1.32 | 100.59 | | | | W116 |
| | | | | 1.39 | 100.52 | | | | W120 |
| | | | | 1.47 | 100.44 | | | | W124 |
| | | | | 1.30 | 100.61 | | | | W128 |
| | | | | 1.30 | 100.61 | | | | W132 In grass |
| | | | | Gone | | | | | ~~W136~~ out |
| | | | | 1.21 | 100.70 | | | | N156 W104 |
| | | | | 1.30 | 100.61 | | | | W108 |
| | | | | 1.30 | 100.61 | | | | W112 |
| | | | | 1.37 | 100.54 | | | | W116 |
| | | | | 1.44 | 100.47 | | | | W120 |
| | | | | 1.41 | 100.50 | | | | W124 |
| | | | | 1.18 | 100.73 | | | | W128 Grass |
| | | | | 1.32 | 100.59 | | | | W132 Grass |
| | | | | | | | | | ~~W136~~ out |
| | | | | Gone | | | | | N160 W104 |
| | | | | 1.32 | 100.59 | | | | W108 |
| | | | | 1.35 | 100.56 | | | | W112 |
| | | | | 1.47 | 100.44 | | | | W116 |
| | | | | 1.49 | 100.42 | | | | W120 |
| | | | | 1.21 | 100.70 | | | | W124 |
| | | | | 1.33 | 100.58 | | | | W128 |
| | | | | 1.51 | 100.40 | | | | W132 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/22/83

Page No. 36

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION | |
|---|---|---|---|---|---|---|---|---|---|
| | | | 101.91 | 1.25 | 100.66 | | | N164 | W104 |
| | | | | 1.33 | 100.58 | | | | W108 |
| | | | | 1.41 | 100.50 | | | | W112 |
| | | | | 1.49 | 100.42 | | | | W116 |
| | | | | 1.27 | 100.64 | | | | W120 |
| | | | | 1.37 | 100.54 | | | | W124 |
| | | | | 1.37 | 100.54 | | | | W128 |
| | | | | 1.31 | 100.60 | | | N168 | W124 |
| | | | | 1.24 | 100.67 | | | | W120 |
| | | | | 1.44 | 100.47 | | | | W116 |
| | | | | 1.41 | 100.50 | | | | W112 |
| | | | | 1.40 | 100.51 | | | | W108 |
| | | | | 1.23 | 100.68 | | | | W104 |
| | | | | 1.33 | 100.58 | | | N172 | W104 |
| | | | | 1.37 | 100.54 | | | | W108 |
| | | | | 1.53 | 100.38 | | | | W112 |
| | | | | 1.35 | 100.55 | | | | W116 |
| | | | | 1.18 | 100.73 | | | | W120 grass |
| | | | | 1.26 | 100.65 | | | N176 | W120 |
| | | | | 1.28 | 100.63 | | | | W116 |
| | | | | 1.46 | 100.45 | | | | W112 |
| | | | | 1.45 | 100.46 | | | | W108 |
| | | | | 1.32 | 100.59 | | | | W104 |
| | | | | 1.37 | 100.54 | | | N180 | W104 |
| | | | | 1.33 | 100.58 | | | | W108 |
| | | | | 1.26 | 100.65 | | | | W112 grass |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU171

Project Cumberland

Date 7/22/83

Page No. 37

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 V100 | 100.00 | 1.91 | 101.91 | 1.89 | 100.02 | | | 14B TOP NW P2 |
| | | | | 1.88 | 100.03 | | | NE |
| | | | | 1.74 | 100.17 | | | SE |
| | | | | 1.68 | 100.23 | | | SW |
| | | | | 2.13 | 99.78 | | | 14B BTm P2 NW |
| | | | | 2.17 | 99.74 | | | NE |
| | | | | 2.14 | 99.77 | | | SE |
| | | | | 2.06 | 99.85 | | | SW |
| | | | | 2.14 | 99.77 | | | C |
| | | | | 1.91 | 100.00 | | | 52A TOP NW |
| | | | | 1.89 | 100.02 | | | NE |
| | | | | 1.88 | 100.03 | | | SE |
| | | | | GONE | | | | SW |
| | | | | 2.17 | 99.74 | | | 52A BTm NW |
| | | | | 2.15 | 99.76 | | | NE |
| | | | | 2.21 | 99.70 | | | SE |
| | | | | 2.19 | 99.72 | | | SW |
| | | | | 2.19 | 99.72 | | | C |
| | | | | 1.89 | 100.02 | | | 52B TOP NW |
| | | | | 1.90 | 100.01 | | | NE |
| | | | | 1.93 | 99.98 | | | SE |
| | | | | 1.88 | 100.03 | | | SW |
| | | | | 2.15 | 99.76 | | | 52B BTM NW |
| | | | | 2.22 | 99.69 | | | NE |
| | | | | 2.18 | 99.73 | | | SE |
| | | | | 2.17 | 99.74 | | | SW |
| | | | | 2.18 | 99.73 | | | C |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/89

Page No. 38

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | 100.00 | 1.91 | 101.91 | GONE | | | | 52 D TOP NW |
| | | | | 1.88 | 100.03 | | | NE |
| | | | | 1.91 | 100.00 | | | SE |
| | | | | 1.90 | 100.01 | | | SW |
| | | | | 2.20 | 99.71 | | | 52 D BTM NW |
| | | | | 2.21 | 99.70 | | | NE |
| | | | | 2.23 | 99.68 | | | SE |
| | | | | 2.21 | 99.70 | | | SW |
| | | | | 2.20 | 99.71 | | | C |
| | | | | 1.87 | 100.04 | | | 53 B TOP NW |
| | | | | 1.91 | 100.00 | | | NE |
| | | | | GONE | — | | | SE |
| | | | | 1.91 | 100.00 | | | SW |
| | | | | GONE | — | | | C |
| | | | | 2.16 | 99.75 | | | 53 B BTM NW |
| | | | | 2.19 | 99.72 | | | NE |
| | | | | 2.18 | 99.73 | | | SE |
| | | | | 2.23 | 99.68 | | | SW |
| | | | | 2.18 | 99.73 | | | C |
| | | | | 1.92 | 99.99 | | | 53C TOP NW |
| | | | | GONE ~~2.09~~ | — | | | NE |
| | | | | 1.90 | 100.01 | | | SE |
| | | | | 1.88 | 100.03 | | | SW |
| | | | | 2.24 | 99.67 | | | 53C BTM NW |
| | | | | 2.19 | 99.72 | | | NE |
| | | | | 2.01 | 99.90 | | | SE |
| | | | | 2.20 | 99.71 | | | SW |
| | | | | 2.01 | 99.90 | | | C |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/83

Page No. 39

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | | DONE | | | | 72 B TOP NW |
| | | | | | | | | NE |
| | | | | | | | | SE |
| | | | | | | | | SW |
| | | | | | | | | 72 B BTM NW |
| | | | | | | | | NE |
| | | | | | | | | SE |
| | | | | | | | | SW |
| | | | | | | | | C |
| | | | GONE | GONE | | | | 72 C TOP NW |
| | 100.00 | 1.91 | 101.91 | 1.86 | 100.05 | | | NE |
| | | | | 1.92 | 99.99 | | | SE |
| | | | | 1.89 | 100.02 | | | SW |
| | | | | 2.12 | 99.79 | | | 72C BTM NW |
| | | | | 2.16 | 99.75 | | | NE |
| | | | | 2.22 | 99.69 | | | SE |
| | | | | 2.14 | 99.77 | | | SW |
| | | | | 2.16 | 99.75 | | | C |
| | | | | GONE | | | | 72 D TOP NW |
| | | | | GONE | | | | NE |
| | | | | 1.89 | 100.02 | | | SE |
| | | | | 1.92 | 99.99 | | | SW |
| | | | | 2.11 | 99.80 | | | 72 D BTM NW |
| | | | | 2.13 | 99.78 | | | NE |
| | | | | 2.17 | 99.74 | | | SE |
| | | | | 2.18 | 99.73 | | | SW |
| | | | | 2.16 | 99.75 | | | C |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/83

Page No. 40

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100. | 1.91 | 101.91 | 2.11 | 99.80 | | | 92 C TOPS Gone except 92 C BTM NW |
| | | | | 2.15 | 99.76 | | | NE |
| | | | | 1.88 | 100.03 | | | TOP SE |
| | | | | 2.14 | 99.77 | | | BTM SE |
| | | | | 2.14 | 99.77 | | | SW |
| | | | | 2.14 | 99.77 | | | C |
| | | | | GONE | | | | 91 B TOP NW |
| | | | | GONE | | | | NE |
| | | | | 1.91 | 100.00 | | | SE |
| | | | | 1.84 | 100.07 | | | SW |
| | | | | 2.19 | 99.72 | | | 91 D BTM NW |
| | | | | 2.21 | 99.70 | | | NE |
| | | | | 2.20 | 99.71 | | | SE |
| | | | | 2.14 | 99.77 | | | SW |
| | | | | 2.19 | 99.72 | | | C |
| | | | | GONE | | | | 91 D TOP NW |
| | | | | 1.84 | 100.07 | | | NE |
| | | | | 1.90 | 100.01 | | | SE |
| | | | | 1.86 | 100.05 | | | SW |
| | | | | 2.15 | 99.76 | | | 91 D BTM NW |
| | | | | 2.17 | 99.74 | | | NE |
| | | | | 2.15 | 99.76 | | | SE |
| | | | | 2.15 | 99.76 | | | SW |
| | | | | 2.14 | 99.77 | | | C |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/83

Page No. 41

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.91 | 101.91 | 1.80 | 100.11 | | | Sq 227 B TOP NW |
| | | | | 1.82 | 100.09 | | | NE |
| | | | | 1.83 | 100.08 | | | SE |
| | | | | 1.83 | 100.08 | | | SW |
| | | | | 2.02 | 99.89 | | | Sq 227 B Btm NW |
| | | | | 2.04 | 99.87 | | | NE |
| | | | | 2.11 | 99.80 | | | SE |
| | | | | 2.05 | 99.86 | | | SW |
| | | | | 2.05 | 99.86 | | | CEN |
| | | | | GONE | | | | Sq 228 A TOP NW |
| | | | | 1.51 | 100.40 | | | NE |
| | | | | 1.68 | 100.23 | | | SE |
| | | | | 1.47 | 100.44 | | | SW |
| | | | | 1.78 | 100.13 | | | Sq 228 A Btm NW |
| | | | | 1.77 | 100.14 | | | NE |
| | | | | 1.82 | 100.09 | | | SE |
| | | | | 1.82 | 100.09 | | | SW |
| | | | | 1.82 | 100.09 | | | CEN |
| | | | | 1.45 | 100.46 | | | Sq 229 B TOP NW |
| | | | | | | | | NE |
| | | | | 1.52 | 100.39 | | | SE |
| | | | | 1.44 | 100.47 | | | SW |
| | | | | 1.79 | 100.12 | | | Sq 229B Btm NW |
| | | | | 1.78 | 100.13 | | | NE |
| | | | | 1.76 | 100.15 | | | SE |
| | | | | 1.76 | 100.15 | | | SW |
| | | | | 1.73 | 100.18 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV171

Project Cumberland

Date 7/22/83

Page No. 42

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.91 | 101.91 | 1.45 | 100.46 | | | Sq 229 C Top NW |
| | | | | 1.43 | 100.48 | | | NE |
| | | | | 1.55 | 100.36 | | | SE |
| | | | | 1.53 | 100.38 | | | SW |
| | | | | 1.80 | 100.11 | | | Sq 229 C Btm NW |
| | | | | 1.78 | 100.13 | | | NE |
| | | | | 1.83 | 100.08 | | | SE |
| | | | | 1.81 | 100.10 | | | SW |
| | | | | 1.80 | 100.11 | | | CEN |
| | | | | 1.22 | 100.69 | | | Sq 233 D Top NW |
| | | | | 1.31 | 100.60 | | | NE |
| | | | | 1.35 | 100.56 | | | SE |
| | | | | 1.33 | 100.58 | | | SW |
| | | | | 1.60 | 100.31 | | | Sq 233 D Btm NW |
| | | | | 1.55 | 100.36 | | | NE |
| | | | | 1.57 | 100.34 | | | SE |
| | | | | 1.56 | 100.35 | | | SW |
| | | | | 1.57 | 100.34 | | | CEN |
| | | | | 1.41 | 100.50 | | | Sq 248 D Top NW |
| | | | | 1.55 | 100.36 | | | NE |
| | | | | 1.59 | 100.32 | | | SE |
| | | | | | | | | SW |
| | | | | 1.76 | 100.15 | | | Sq 248 D Btm NW |
| | | | | 1.78 | 100.13 | | | NE |
| | | | | 1.84 | 100.07 | | | SE |
| | | | | 1.78 | 100.13 | | | SW |
| | | | | 1.80 | 100.11 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CV171

Project CUMBERLAND

Date 7/22/83

Page No. 43

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.91 | 1.45 | 100.46 | | | Sq 249 B Top NW |
| | | | | 1.45 | 100.46 | | | NE |
| | | | | 1.47 | 100.44 | | | SE |
| | | | | 1.47 | 100.44 | | | SW |
| | | | | 1.69 | 100.22 | | | Sq 249 B Btm NW |
| | | | | 1.73 | 100.18 | | | NE |
| | | | | 1.76 | 100.15 | | | SE |
| | | | | 1.73 | 100.18 | | | SW |
| | | | | 1.75 | 100.16 | | | CEN |
| | | | | 1.47 | 100.44 | | | Sq 249 C Top NW |
| | | | | 1.47 | 100.44 | | | NE |
| | | | | | | | | SE |
| | | | | 1.45 | 100.46 | | | SW |
| | | | | 1.74 | 100.17 | | | Sq 249 C Btm NW |
| | | | | 1.76 | 100.15 | | | NE |
| | | | | 1.78 | 100.13 | | | SE |
| | | | | 1.73 | 100.18 | | | SW |
| | | | | 1.74 | 100.17 | | | CEN |
| | | | | 1.25 | 100.66 | | | Sq 258 C Top NW |
| | | | | 1.45 | 100.46 | | | NE |
| | | | | 1.47 | 100.44 | | | SE |
| | | | | 1.38 | 100.53 | | | SW |
| | | | | 1.77 | 100.14 | | | Sq 258 C Btm NW |
| | | | | 1.70 | 100.21 | | | NE |
| | | | | 1.68 | 100.23 | | | SE |
| | | | | 1.68 | 100.23 | | | SW |
| | | | | 1.71 | 100.20 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project CUMBERLAND

Date 7/22/83

Page No. 44

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 102.00 | 102.00 | 1.42 | 100.58 | | | Sq 270 A Top NW |
| | | | | 1.45 | 100.55 | | | NE |
| | | | | 1.44 | 100.56 | | | SE |
| | | | | 1.35 | 100.65 | | | SW |
| | | | | 1.68 | 100.32 | | | Sq 270 A Btm NW |
| | | | | 1.70 | 100.30 | | | NE |
| | | | | 1.67 | 100.33 | | | SE |
| | | | | 1.70 | 100.30 | | | SW |
| | | | | 1.67 | 100.33 | | | CEN |
| | | | | 1.44 | 100.56 | | | Sq 270 B Top NW |
| | | | | 1.43 | 100.57 | | | NE |
| | | | | 1.45 | 100.55 | | | SE |
| | | | | 1.43 | 100.57 | | | SW |
| | | | | 1.68 | 100.32 | | | Sq 270 B Btm NW |
| | | | | 1.69 | 100.31 | | | NE |
| | | | | 1.70 | 100.30 | | | SE |
| | | | | 1.69 | 100.31 | | | SW |
| | | | | 1.69 | 100.31 | | | CEN |
| | | | | 1.39 | 100.61 | | | Sq 289 D Top NW |
| | | | | 1.42 | 100.58 | | | NE |
| | | | | 1.45 | 100.55 | | | SE |
| | | | | 1.43 | 100.57 | | | SW |
| | | | | 1.69 | 100.31 | | | Sq 289 D Btm NW |
| | | | | 1.69 | 100.31 | | | NE |
| | | | | 1.74 | 100.26 | | | SE |
| | | | | 1.71 | 100.29 | | | SW |
| | | | | 1.71 | 100.29 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CV171

Project CUMBERLAND

Date 7/22/83

Page No. 45

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 2.00 | 102.00 | 1.32 | 100.69 | | | Sq 290 A Top NW |
| | | | | 1.39 | 100.61 | | | NE |
| | | | | 1.40 | 100.60 | | | SE |
| | | | | — | | GONE | | SW |
| | | | | 1.66 | 100.34 | | | Sq 290 A Btm NW |
| | | | | 1.66 | 100.34 | | | NE |
| | | | | 1.68 | 100.32 | | | SE |
| | | | | 1.66 | 100.34 | | | SW |
| | | | | 1.68 | 100.32 | | | CEN |
| | | | | — | | GONE | | Sq 290 D Top NW |
| | | | | 1.41 | 100.59 | | | NE |
| | | | | 1.45 | 100.55 | | | SE |
| | | | | 1.42 | 100.58 | | | SW |
| | | | | 1.67 | 100.33 | | | Sq 290 D Btm NW |
| | | | | 1.71 | 100.29 | | | NE |
| | | | | 1.71 | 100.29 | | | SE |
| | | | | 1.70 | 100.30 | | | SW |
| | | | | 1.71 | 100.29 | | | CEN |
| N100 W100 | 100.00 | 1.89 | 101.89 | — | | GONE | | Sq 291 A Top NW |
| | | | | 1.24 | 100.76 | | | NE |
| | | | | — | | GONE | | SE |
| | | | | — | | GONE | | SW |
| | | | | 1.54 | 100.46 | | | Sq 291 A Btm NW |
| | | | | 1.53 | 100.47 | | | NE |
| | | | | 1.53 | 100.47 | | | SE |
| | | | | — | | GONE | | SW |
| | | | | 1.55 | 100.45 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project CUMBERLAN

Date 7/22/83

Page No. 46

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.98 | 101.98 | 1.33 | 100.65 | | | Sq 291 B Top NW |
| | | | | 1.36 | 100.62 | | | NE |
| | | | | GONE | | | | SE gone |
| | | | | GONE | | | | SW gone |
| | | | | GONE | | | | Sq 291 B Btm NW |
| | | | | 1.68 | 100.30 | | | NE |
| | | | | 1.65 | 100.33 | | | SE |
| | | | | 1.63 | 100.35 | | | SW |
| | | | | GONE | | | | CEN |
| | | | | GONE | | | | NW gone |
| | | | | GONE | | | | Sq 291 C Top NE gone |
| | | | | 1.40 | 100.58 | | | SE |
| | | | | 1.33 | 100.65 | | | SW |
| | | | | | | | | |
| | | | | 1.63 | 100.35 | | | Sq 291 C Btm NW |
| | | | | 1.65 | 100.33 | | | NE |
| | | | | 1.69 | 100.29 | | | SE |
| | | | | GONE | | | | SW |
| | | | | GONE | | | | CEN |
| | | | | GONE | | | | NW |
| | | | | GONE | | | | Sq 291 D Top NE gone |
| | | | | 1.33 | 100.65 | | | SE |
| | | | | 1.29 | 100.69 | | | SW |
| | | | | GONE | | | | Sq 291 D Btm NW |
| | | | | 1.63 | 100.35 | | | NE |
| | | | | GONE | | | | SE |
| | | | | GONE | | | | SW |
| | | | | GONE | | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland.

Date 7/22/83

Page No. 47

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.98 | 101.98 | 1.39 | 100.59 | | | | Sq 292 A Top NW |
| | | | | GONE | | | | | NE |
| | | | | GONE | | | | | SE gone |
| | | | | 1.40 | 100.58 | | | | SW |
| | | | | GONE | | | | | Sq 292 A Btm NW |
| | | | | 1.62 | 100.36 | | | | NE |
| | | | | GONE | | | | | SE |
| | | | | GONE | | | | | SW |
| | | | | GONE | | | | | CEN |
| | | | | GONE | | | | | Sq 292 B Top all gone |
| | | | | 1.62 | 100.36 | | | | Sq 292 B Btm NW |
| | | | | 1.62 | 100.36 | | | | Sq 292 B Btm NE |
| | | | | GONE | | | | | SE |
| | | | | GONE | | | | | SW |
| | | | | GONE | | | | | CEN |
| | | | | GONE | | | | | Sq 292 C Top NW |
| | | | | GONE | | | | | NE gone |
| | | | | 1.29 | 100.69 | | | | SE |
| | | | | 1.34 | 100.64 | | | | SW |
| | | | | GONE | | | | | Sq 292 C Btm NW |
| | | | | GONE | | | | | NE |
| | | | | GONE | | | | | SE |
| | | | | GONE | | | | | SW |
| | | | | GONE | | | | | CEN |
| | | | | 1.40 | 100.58 | | | | Sq 292 D Top NW |
| | | | | GONE | | | | | NE gone |
| | | | | 1.34 | 100.64 | | | | SE |
| | | | | 1.37 | 100.61 | | | | SW |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CU 171

Project Cumberland

Date 7/22/83

Page No. 48

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.98 | 101.98 | GONE | | | | | Sq 292 D BTM NW |
| | | | | GONE | | | | | NE |
| | | | | GONE | | | | | SE |
| | | | | GONE | | | | | SW |
| | | | | GONE | | | | | CEN |
| N100 W100 | 100.00 | 102.00 | 102.00 | 1.44 | 100.54 | | | | Sq 293 A Top NW |
| | | | | 1.45 | 100.53 | | | | NE |
| | | | | 1.39 | 100.59 | | | | SE |
| | | | | 1.44 | 100.54 | | | | SW |
| | | | | 1.71 | 100.27 | | | | Sq 293 A Btm NW |
| | | | | 1.70 | 100.28 | | | | NE |
| | | | | 1.69 | 100.29 | | | | SE |
| | | | | 1.71 | 100.27 | | | | SW |
| | | | | 1.72 | 100.26 | | | | CEN |
| N100 W100 | 100.00 | 1.99 | 101.99 | 1.30 | 100.68 | | | | Sq 308 A Top NW |
| | | | | 1.35 | 100.63 | | | | NE |
| | | | | 1.42 | 100.56 | | | | SE |
| | | | | 1.38 | 100.60 | | | | SW |
| N100 W100 | 100.00 | 1.89 | 101.89 | 1.61 | 100.37 | | | | Sq 308 A Btm NW |
| | | | | 1.65 | 100.33 | | | | NE |
| | | | | 1.66 | 100.32 | | | | SE |
| | | | | 1.64 | 100.34 | | | | SW |
| | | | | 1.66 | 100.32 | | | | CEN |
| | | | | 1.35 | 100.63 | | | | Sq 311 A Top NW |
| | | | | 1.35 | 100.63 | | | | NE |
| | | | | 1.38 | 100.60 | | | | SE |

SW gone

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CU 171

Project Cumberland

Date 7/22/83

Page No. 49

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.89 | 101.89 | Gone | | | | Sq 311 A Btm NW |
| | | | | " | | | | NE |
| | | | | " | | | | SE |
| | | | | " | | | | SW |
| | | | | " | | | | CEN |
| | | | | | | | | Sq 311 D Tap NW gone |
| | | | | 1.38 | 100.51 | | | NE |
| | | | | 1.34 | 100.55 | | | SE |
| | | | | gone | | | | SW gone |
| | | | | Gone | | | | Sq 311 D Btm NW |
| | | | | Gone | | | | NE |
| | | | | 1.65 | 100.24 | | | SE |
| | | | | 1.63 | 100.26 | | | SW |
| | | | | Gone | | | | CEN |
| | | | | 1.41 | 100.48 | | | Sq 312 A Tap NW |
| | | | | 1.42 | 100.47 | | | NE |
| | | | | gone | | | | SE gone |
| | | | | 1.35 | 100.54 | | | SW |
| | | | | gone | | | | Sq 312 A Btm NW |
| | | | | gone | | | | NE |
| | | | | gone | | | | SE |
| | | | | 1.62 | 100.27 | | | SW |
| | | | | gone | | | | CEN |
| | | | | 1.41 | 100.48 | | | Sq 312 B Tap NW |
| | | | | 1.32 | 100.57 | | | NE |
| | | | | | | | | SE gone |
| | | | | | | | | SW gone |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/22/83

Page No. 50

| STATION | BM el+ | READING | =H.I.- | READING | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| N100 W,00 | 100.00 | 1.89 | 101.89 | gone | | | | | Sq 312B Btm NW |
| | | | | gone | | | | | NE |
| | | | | gone | | | | | SE |
| | | | | gone | | | | | SW |
| | | | | gone | | | | | CEN |
| | | | | " | | | | | Sq 312 C Top (all gone |
| | | | | " | | | | | Sq 312 C Btm NW |
| | | | | " | | | | | NE |
| | | | | 1.64 | 100.25 | | | | SE |
| | | | | 1.64 | 100.25 | | | | SW |
| | | | | Gone | | | | | CEN |
| | | | | 1.34 | 100.55 | | | | Sq 312 D Top NW |
| | | | | gone | | | | | NE SE gone |
| | | | | 1.39 | 100.50 | | | | SW |
| | | | | gone | | | | | Sq 312 D Btm NW |
| | | | | gone | | | | | NE |
| | | | | 1.64 | 100.25 | | | | SE |
| | | | | gone | | | | | SW |
| | | | | gone | | | | | CEN |
| | | | | 1.48 | 100.41 | | | | Sq 313 A Top NW |
| | | | | 1.44 | 100.45 | | | | NE |
| | | | | 1.44 | 100.45 | | | | SE |
| | | | | 1.46 | 100.43 | | | | SW |
| | | | | 1.74 | 100.15 | | | | Sq 313A Btm NW |
| | | | | 1.74 | 100.15 | | | | NE |
| | | | | 1.68 | 100.21 | | | | SE |
| | | | | 1.70 | 100.19 | | | | SW |
| | | | | | | | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CU 171

Project Cumberland

Date 7/22/83

Page No. 51

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.89 | 101.89 | 1.46 | 100.43 | | | Sq 314 B Top NW |
| | | | | 1.48 | 100.41 | | | NE |
| | | | | 1.46 | 100.43 | | | SE |
| | | | | 1.46 | 100.43 | | | SW |
| | | | | 1.78 | 100.11 | | | Sq 314 B Btm NW |
| | | | | 1.74 | 100.15 | | | NE |
| | | | | 1.72 | 100.17 | | | SE |
| | | | | 1.71 | 100.18 | | | SW |
| | | | | 1.76 | 100.13 | | | CEN |
| N100 W100 | 100.00 | 1.89 | 101.89 | 1.42 | 100.47 | | | Sq 327 B Top NW |
| | | | | 1.56 | 100.33 | | | NE |
| | | | | 1.45 | 100.44 | | | SE |
| | | | | 1.49 | 100.40 | | | SW |
| | | | | 1.75 | 100.14 | | | Sq 327 B Btm NW |
| | | | | 1.75 | 100.14 | | | NE |
| | | | | 1.73 | 100.16 | | | SE |
| | | | | 1.74 | 100.15 | | | SW |
| | | | | 1.75 | 100.14 | | | CEN |
| | | | | 1.45 | 100.44 | | | Sq 333D Top NW |
| | | | | 1.48 | 100.41 | | | NE |
| | | | | 1.44 | 100.45 | | | SE |
| | | | | 1.48 | 100.41 | | | SW |
| | | | | 1.71 | 100.18 | | | Sq 333D Btm NW |
| | | | | 1.69 | 100.20 | | | NE |
| | | | | 1.71 | 100.18 | | | SE |
| | | | | 1.66 | 100.23 | | | SW |
| | | | | 1.74 | 100.15 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/22/83

Page No. 52

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| | | | 101.89 | 1.48 | 100.41 | | | Sq 334C Top NW |
| | | | | 1.43 | 100.46 | | | NE |
| | | | | 1.48 | 100.41 | | | SE |
| | | | | 1.46 | 100.43 | | | SW |
| | | | | 1.74 | 100.15 | | | Sq 334C Btm NW |
| | | | | 1.72 | 100.17 | | | NE |
| | | | | 1.74 | 100.15 | | | SE |
| | | | | 1.78 | 100.11 | | | SW |
| | | | | 1.76 | 100.13 | | | CEN |
| N100 W100 | 100. | 1.89 | 101.89 | 1.46 | 100.43 | | | Sq 334D Top NW |
| | | | | 1.42 | 100.47 | | | NE |
| | | | | 1.37 | 100.52 | | | SE |
| | | | | 1.47 | 100.42 | | | SW |
| | | | | 1.69 | 100.20 | | | Sq 334D Btm NW |
| | | | | 1.64 | 100.25 | | | NE |
| | | | | 1.68 | 100.21 | | | SE |
| | | | | 1.65 | 100.24 | | | SW |
| | | | | 1.68 | 100.21 | | | CEN |
| N100 W100 | 100. | 1.89 | 101.89 | 1.27 | 100.62 | | | Sq 335D Top NW |
| | | | | 1.35 | 100.54 | | | NE |
| | | | | 1.46 | 100.43 | | | SE |
| | | | | 1.25 | 100.64 | | | SW |
| | | | | 1.69 | 100.20 | | | Sq 335D Btm NW |
| | | | | 1.71 | 100.18 | | | NE |
| | | | | 1.69 | 100.20 | | | SE |
| | | | | 1.69 | 100.20 | | | SW |
| | | | | 1.70 | 100.19 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CV 171

Project Cumberland

Date 7/22/83

Page No. 53

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 101.89 | 101.89 | 1.45 | 100.44 | | | Sq 354C Top NW |
| | | | | 1.44 | 100.45 | | | NE |
| | | | | 1.40 | 100.49 | | | SE |
| | | | | 1.53 | 100.36 | | | SW |
| | | | | 1.68 | 100.21 | | | Sq 354 C Btm NW |
| | | | | 1.68 | 100.21 | | | NE |
| | | | | 1.70 | 100.19 | | | SE |
| | | | | 1.69 | 100.20 | | | SW |
| | | | | 1.71 | 100.18 | | | CEN |
| | | | | 1.29 | 100.60 | | | Sq 369C Top NW |
| | | | | 1.34 | 100.55 | | | NE |
| | | | | 1.29 | 100.60 | | | SE |
| | | | | 1.23 | 100.66 | | | SW |
| | | | | 1.59 | 100.30 | | | Sq 369C Btm NW |
| | | | | 1.59 | 100.30 | | | NE |
| | | | | 1.60 | 100.29 | | | SE |
| | | | | 1.55 | 100.34 | | | SW |
| | | | | 1.60 | 100.29 | | | CEN |
| | | | | 1.32 | 100.57 | | | Sq 371C Top NW |
| | | | | 1.29 | 100.60 | | | NE |
| | | | | 1.26 | 100.63 | | | SE |
| | | | | 1.27 | 100.62 | | | SW |
| | | | | 1.55 | 100.34 | | | Sq 371C Btm NW |
| | | | | 1.55 | 100.34 | | | NE |
| | | | | 1.54 | 100.35 | | | SE |
| | | | | 1.55 | 100.34 | | | SW |
| | | | | 1.57 | 100.32 | | | CEN |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/83

Page No. 54

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.89 | 101.89 | 1.36 | 100.53 | | | Sq 388 D Top NW |
| | | | | 1.45 | 100.44 | | | NE |
| | | | | 1.50 | 100.39 | | | SE |
| | | | | 1.38 | 100.51 | | | SW |
| | | | | 1.58 | 100.31 | | | Sq 388 D Btm NW |
| | | | | 1.62 | 100.27 | | | NE |
| | | | | 1.68 | 100.21 | | | SE |
| | | | | 1.61 | 100.28 | | | SW |
| | | | | 1.63 | 100.26 | | | CEN |
| | | | | 1.35 | 100.54 | | | Sq 392C Top NW |
| | | | | 1.28 | 100.61 | | | NE |
| | | | | 1.30 | 100.59 | | | SE |
| | | | | 1.32 | 100.57 | | | SW |
| | | | | 1.57 | 100.32 | | | Sq 392C Btm NW |
| | | | | 1.57 | 100.32 | | | NE |
| | | | | 1.55 | 100.34 | | | SE |
| | | | | 1.62 | 100.27 | | | SW |
| | | | | 1.60 | 100.29 | | | CEN |
| 7/22/83 N100 W100 | 100.00 | 2.00 | 102.00 | 1.98 | 99.91 | | | TOP 132 F-1 Center |
| | | | | 2.03 | 99.86 | | | F-2 |
| | | | | 2.04 | 99.85 | | | F-3 |
| | | | | 2.08 | 99.81 | | | F-4 |
| | | | | 2.08 | 99.81 | | | F-5 |
| | | | | 2.12 | 99.77 | | | F-6 |
| | | | | 2.14 | 99.75 | | | F-7 |
| | | | | 2.03 | 99.86 | | | F-8 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/22/83

Page No. 55

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.08 | 99.92 | | | TOP 132 F-9 Center |
| | | | | 2.12 | 99.88 | | | F-10 |
| | | | | 2.11 | 99.89 | | | F-11 |
| | | | | 2.10 | 99.90 | | | F-12 |
| | | | | 2.13 | 99.87 | | | 13 |
| | | | | 2.19 | 99.81 | | | 14 |
| | | | | 2.07 | 99.93 | | | 15 |
| | | | | 2.11 | 99.89 | | | 16 |
| | | | | 2.13 | 99.87 | | | 17 |
| | | | | 2.10 | 99.90 | | | 18 |
| | | | | 2.11 | 99.89 | | | 19 |
| | | | | 2.14 | 99.86 | | | 20 |
| | | | | 2.20 | 99.80 | | | 21 |
| | | | | 2.14 | 99.86 | | | 22 |
| | | | | 2.16 | 99.84 | | | 23 |
| | | | | 2.19 | 99.81 | | | 24 |
| | | | | 2.13 | 99.87 | | | 25 |
| | | | | 2.13 | 99.87 | | | 26 |
| | | | | 2.17 | 99.83 | | | 27 |
| | | | | 2.24 | 99.76 | | | 28 |
| | | | | 2.12 | 99.88 | | | 29 |
| | | | | 2.16 | 99.84 | | | 30 |
| | | | | 2.25 | 99.75 | | | 31 |
| | | | | 2.21 | 99.79 | | | 32 |
| | | | | 2.23 | 99.77 | | | 33 |
| | | | | 2.25 | 99.75 | | | 34 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 Cu 171

Project Cumberland

Date 7/22/87

Page No. 56

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.27 | 99.73 | | | TOP 132F-35' |
| | | | | 2.12 | 99.88 | | | 36 |
| | | | | 2.16 | 99.84 | | | 37 |
| | | | | 2.18 | 99.82 | | | 38 |
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.20 | 99.80 | | | 39 |
| | | | | 2.22 | 99.78 | | | 40 |
| | | | | 2.26 | 99.74 | | | 41 |
| | | | | 2.26 | 99.74 | | | 42 |
| | | | | 2.25 | 99.75 | | | 43 |
| | | | | 2.24 | 99.76 | | | 44 |
| | | | | 2.20 | 99.80 | | | 45 |
| | | | | 2.18 | 99.82 | | | 46 |
| | | | | 2.17 | 99.83 | | | 47 |
| | | | | 2.14 | 99.86 | | | 48 |
| | | | | 2.12 | 99.88 | | | 49 |
| | | | | 2.18 | 99.82 | | | 50 |
| | | | | 2.10 | 99.90 | | | 51 |
| | | | | 2.27 | 99.73 | | | 52 |
| | | | | 2.25 | 99.75 | | | 53 |
| | | | | 2.25 | 99.75 | | | 54 |
| | | | | 2.23 | 99.77 | | | 55 |
| | | | | 1.99 | 100.01 | | | 56 |
| | | | | 1.96 | 100.04 | | | 57 |
| | | | | 1.98 | 100.02 | | | 58 |
| | | | | 1.99 | 100.01 | | | 59 |
| | | | | 2.02 | 99.98 | | | 60 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/23/83

Page No. 57

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.04 | 99.96 | | | TOP 132 F- 61 |
| | | | | 2.06 | 99.94 | | | 62 |
| | | | | 2.08 | 99.92 | | | 63 |
| | | | | 2.09 | 99.91 | | | 64 |
| | | | | 2.10 | 99.90 | | | 65 |
| | | | | 2.14 | 99.86 | | | 66 |
| | | | | 2.21 | 99.79 | | | 67 |
| | | | | 2.25 | 99.75 | | | 68 |
| | | | | 2.28 | 99.72 | | | 69 |
| | | | | 2.25 | 99.75 | | | 70 |
| | | | | 2.24 | 99.76 | | | 71 |
| | | | | 2.25 | 99.75 | | | 72 |
| N100 W100 | 100.00 | 1.97 | 101.98 | 1.96 | 100.02 | | | BTM 132 F- 1-A |
| | | | | 2.01 | 99.97 | | | 2-A |
| | | | | 2.01 | 99.97 | | | 3-A |
| | | | | 2.06 | 99.92 | | | 4-A |
| N100 N100 | 100. | 1.96 | 101.96 | 2.05 | 99.91 | | | 5-A |
| N100 W100 | 100. | 1.96 | 101.96 | 2.11 | 99.85 | | | 6-A |
| N100 W100 | 100. | 1.96 | 101.96 | 2.12 | 99.84 | | | 7-A |
| N100 W100 | 100. | 1.98 | 101.98 | 2.00 | 99.98 | | | 8-A |
| | | | " | 2.03 | 99.95 | | | 9-A |
| | | | " | 2.11 | 99.87 | | | 10-A |
| | | | " | 2.12 | 99.86 | | | 11-A |
| N100 W100 | 100. | 1.96 | 101.96 | 2.14 | 99.82 | | | 12-A |
| | | " | " | 2.15 | 99.81 | | | 13-A |
| N100 W100 | 100. | 1.96 | 101.96 | 2.16 | 99.80 | | | 14-A |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 Cu 171

Project Cumberland

Date 7/22/82

Page No. 58

1.96 here - 2.14

101.76
2.14
99.82

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.98 | 101.98 | 2.05 | 99.93 | | | BTM 132 F-15-A |
| | | | | 2.12 | 99.86 | | | 16-A |
| | | | | 2.17 | 99.81 | | | 17-A |
| | | | | 2.20 | 99.78 | | | 18-A |
| | | ~~101~~.96 | 101.96 | 2.18 | 99.78 | | | 19-A |
| | | | 101.96 | 2.15 | 99.81 | | | 20-A |
| | | | 101.96 | 2.16 | 99.80 | | | 21-A |
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.13 | 99.87 | | | 22-A |
| | | | " | 2.20 | 99.80 | | | 23-A |
| N100 W100 | 100.00 | 1.96 | 101.96 | 2.23 | 99.73 | | | 24-A |
| | | | " | 2.20 | 99.76 | | | 25-A |
| N100 W100 | 100.00 | 1.98 | 101.98 | 2.21 | 99.77 | | | 26-A |
| | | | " | 2.20 | 99.78 | | | 27-A |
| | | | " | 2.01 | 99.97 | | | 28-A |
| N100 W100 | 100.00 | 1.96 | 101.96 | 2.10 | 99.86 | | | 29-A |
| | | | " | 2.18 | 99.78 | | | 30-A |
| | | | " | 2.22 | 99.74 | | | 31-A |
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.26 | 99.74 | | | 32-A |
| N100 W100 | 100.00 | 1.98 | 101.98 | 2.21 | 99.77 | | | 33-A |
| | | | | 2.21 | 99.77 | | | 34-A |
| | | | | 2.21 | 99.77 | | | 35-A |
| N100 W100 | 100.00 | 2.00 | 102.00 | 2.15 | 99.85 | | | 36-A |
| | | | | 2.22 | 99.78 | | | 37-A |
| | | | | 2.22 | 99.78 | | | 38-A |
| | | | | 2.21 | 99.79 | | | 39-A |
| | | | | 2.20 | 99.80 | | | 40-A |
| | | | | 2.23 | 99.77 | | | 41A |
| | | | | 2.21 | 99.79 | | | 42A |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 Cv171

Project Cumberland

Date 7/23/83

Page No. 59

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N120 W104 | 99.76 | .11 | 99.65 | .18 | ~~99.83~~ | | | TOP 91 E-2 & E3 BTM 91 E-1 (1) |
| | | | | .21 | ~~99.86~~ | | | TOP 91 E-2 & E3 BTM 91 E1 (2) |
| | | | | .23 | ~~99.88~~ | | | TOP 91 E-2 & E3 BTM 91 E1 (3) |
| N100 W100 | 100. | 1.96 | 101.76 | 2.15 | 99.61 | | | TOP 112 F |
| N120 W104 | 99.76 | .11 | 99.87 | .39 | ~~99.48~~ | | | BTM 91 E2 (1) |
| | | | | .35 | ~~99.52~~ | | | BTM 91 E-2 (2) |
| | | | | .31 | ~~99.56~~ | | | BTM 91 E-2 (3) |
| N120 W104 | 99.76 | .150 | 99.910 | .121 | 99.79 | | | TOP 91 E-1 (1) |
| | | | | .165 | 99.75 | | | TOP 91 E1 (2) |
| | | | | .165 | 99.75 | | | TOP 91 E1 (3) |
| | | | 99.910 | .29 | 99.61 | | | TOP E2/E-3 BTM E1 (1) |
| | | | | .31 | 99.60 | | | (2) |
| | | | | .33 | 99.57 | | | (3) |
| | | | 99.910 | .44 | 99.47 | | | BTM E2 (1) |
| | | | | .43 | 99.48 | | | (2) |
| | | | | .42 | 99.49 | | | (3) |
| N124 W100 | 99.77 | .139 | 99.909 | .16 | 99.749 | | | TOP 110 F-1 (1) N |
| | | | | .125 | 99.774 | | | (2) |
| | | | | .13 | 99.779 | | | (3) S |
| N120 W104 | 99.76 | .130 | 99.890 | .145 | 99.745 | | | TOP 91 F-1 (1) N |
| | | | | .117 | 99.773 | | | (2) |
| | | | | .115 | 99.775 | | | (3) S |
| N136 W88 | 99.71 | .150 | 99.86 | .175 | 99.685 | | | Top 167 F (1) |
| N132 W92 | 99.60 | .120 | 99.920 | .135 | 99.785 | | | Top. 168 G |
| | | | | .410 | 99.510 | | | Btm. 168 G |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18CV171

Project CUMBERLAND

Date 23 JULY 83

Page No. 60

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N132 W92 | 99.80 | .130 | 99.930 | .140 | 99.790 | | | Top 148 E-1 (1) |
| | | | " | .160 | 99.770 | | | Top 148 E-1 (2) |
| | | | " | .110 | 99.820 | | | Top 148 E-1 (3) |
| | | | " | .110 | 99.820 | | | Top 168 E (1) |
| | | | " | .150 | 99.780 | | | Top 168 E (2) |
| | | | | | | | | |
| N136 W88 | 99.71 | .120 | 99.830 | .110 | 99.720 | | | Top 187 E-1 (1) |
| | | | " | .075 | 99.755 | | | Top 187E-1 (2) |
| | | | | | | | | |
| N132 W92 | 99.80 | .140 | 99.940 | .300 | 99.640 | | | Bttm 148 E-1 Top 148 E-2 (1) |
| | | | " | .280 | 99.660 | | | Bttm 148 E-1 Top 148 E-2 (2) |
| | | | " | .310 | 99.630 | | | Bttm 148E-1 Top 148E-2 (3) |
| | | | " | .310 | 99.630 | | | Top postmolds 168E (5) |
| | | | " | .320 | 99.620 | | | Top postmolds 168E (N) |
| N136 W88 | 99.71 | .105 | 99.815 | - | - | | | |
| | | | | .130 | 99.685 | | | Bttm 187 E-1 Top 187E-2 (1) |
| | | | | .120 | 99.695 | | | Bttm 187E-1 Top 187E-2 (2) |
| | | | | | | | | |
| N136 W88 | 99.71 | .121 | 99.831 | .140 | 99.691 | | | Top 187-E-2 mold (1) |
| | | | | .143 | 99.688 | | | Top 187 E-2 mold (2) |
| | | | | .147 | 99.684 | | | Top 187 E-2 mold (3) |
| | | | | .160 | 99.671 | | | Top 187 E-2 mold (6) |
| | | | | .145 | 99.686 | | | Top 187 E-2 mold (9) |
| N132 W92 | 99.80 | .150 | 99.950 | .330 | 99.620 | | | Bottom 148 E-1 Top 148 E-2 (1) |
| | | | | .310 | 99.640 | | | Bttm 148 E-1 Top 148 E-2 (2) |
| | | | | .340 | 99.610 | | | Bttm 148E-1 Top 148E-2 (3) |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CY 181

Project CUMBERLAND

Date 24 JULY 83

Page No. 61

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N132 W92 | 99.80 | .145 | 99.945 | .330 | 99.615 | | | BTTM 168 E to subsoil (1) |
| | | | | .335 | 99.610 | | | BTTM 168 E to subsoil (2) |
| N136 W88 | 99.71 | .119 | 99.829 | .215 | 99.614 | | | Top Bttm 187 E-2 mold (1) |
| | | | | .216 | 99.615 | | | Bttm 187 E-2 mold (2) |
| | | | | .218 | 99.611 | | | Bttm 187 E-2 mold (3) |
| | | | | .125 | 99.704 | | | Top 187 E-2 mold (4) |
| | | | | .202 | 99.627 | | | Bttm 187 E-2 mold (4) |
| | | | | .165 | 99.664 | | | Top 187 E-2 mold (5) |
| | | | | .201 | 99.628 | | | Bttm 187 E-2 mold (5) |
| | | | | .212 | 99.617 | | | Bttm 187-2 mold (6) |
| | | | | .220 | 99.609 | | | Bttm 187-2 mold (7) |
| N132 W92 | 99.80 | .130 | 99.930 | .350 | 99.580 | | | Bttm 148 E-2 mold (1) |
| | | | | .430 | 99.500 | | | Bttm 148 E-2 mold (2) |
| | | | | .530 | 99.400 | | | Bttm 148 E-2 mold (3) |
| N136 W88 | 99.71 | .170 | 99.880 | .360 | 99.520 | | | Bttm 187 E-3 (1) |
| | | | | .270 | 99.610 | | | Bttm 187 E-3 (2) |
| N132 W92 | 99.80 | .120 | 99.920 | .360 | 99.560 | | | Bttm 148 E-3 (1) |
| | | | | .360 | 99.560 | | | Bttm 148 E-3 (2) |
| | | | | .530 | 99.390 | | | Bttm 148 E-3 (3) |
| N132 W92 | 99.80 | .120 | 99.920 | .350 | 99.570 | | | Top 148 E-2 (Rock) |
| | | | | .500 | 99.420 | | | Bttm 148 E-2 (w/out Rock) |
| N124 W100 | 99.77 | .155 | 99.925 | .280 | 99.645 | | | Btm 110 F-1 (1) |
| | | | | .327 | 99.598 | | | " (2) |
| | | | | .190 | 99.735 | | | " (3) |
| | | | | | | | | |
| | | | | | | | | |

119
215
98.804

829
165
664

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project CUMBERLAND

Date 28 JULY 1983

Page No. 62

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N120 W104 | 99.76 | .14 | 99.90 | .46 | 99.44 | | | Bottom Sq. 91 E3 - ① |
| | | | | .47 | 99.43 | | | Bottom Sq. 91 E3 - ② |
| | | | | .44 | 99.46 | | | Bottom Sq 91 E3 - ③ |
| N100 W100 | 100.00 | 1.69 | 101.69 | 1.55 | 100.14 | | | 154 PH 1 TOP |
| | | | | 1.53 | 100.16 | | | 154 PH 2 TOP |
| | | | | 1.56 | 100.13 | | | 154 PH 3 TOP |
| | | | | 1.51 | 100.18 | | | 135 PH 1 TOP |
| | | | | 1.52 | 100.17 | | | 135 PA 2 TOP |
| | | | | 1.51 | 100.18 | | | 116 PH1 TOP |
| | | | | 1.44 | 100.25 | | | 117 PH1 TOP |
| | | | | 1.53 | 100.16 | | | 117 PH 2 TOP |
| | | | | 1.58 | 100.11 | | | 117 PH 3 TOP |
| | | | | 1.62 | 100.07 | | | 97 PH1 TOP |
| N120 W104 | 99.76 | .135 | 99.895 | .350 | 99.545 | | | Btm 91 F-2 ① |
| | | | | .330 | 99.565 | | | " ② |
| | | | | .305 | 99.590 | | | " ③ |
| N100 W100 | 100.00 | 1.69 | 101.69 | 1.66 | 100.03 | | | 96 PH1 TOP |
| N128 W96 | 99.76 | .075 | 99.835 | .068 | 99.767 | | | Top of F-1 ① |
| | | | | .09 | 99.745 | | | ② |
| | | | | .07 | 99.765 | | | ③ |
| N132 W92 | 99.80 | .130 | 99.930 | .080 | 99.850 | | | TOP 149 G-1 ① |
| N132 W92 | 99.80 | .130 | | .075 | 99.855 | | | ② |
| | | | | .110 | 99.820 | | | ③ |
| N128 W96 | 99.76 | .170 | 99.930 | .250 | 99.680 | | | Btm 149 G-1 ① |
| | | | | .295 | 99.635 | | | " ② |
| | | | | .310 | 99.620 | | | " ③ |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7/20/83

Page No. 63

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.94 | 101.94 | 1.66 | 100.28 | | | TOP 273 F |
| | | | | 2.18 | 99.76 | | | 116.8 PH 1 |
| | | | | 2.21 | 99.73 | | | " 2 |
| | | | | 2.21 | 99.73 | | | " 3 |
| | | | | 2.22 | 99.72 | | | " 4 |
| | | | | 2.23 | 99.71 | | | " 5 |
| | | | | 2.21 ? | | | | " 6 |
| | | | | 2.20 | 99.74 | | | " 7 |
| | | | | 2.20 | 99.74 | | | " 8 |
| | | | | 2.03 | 99.91 | | | 208 PH 5 |
| N124 W100 | 99.77 | .130 | 99.90 | .140 | 99.76 | | | Top 110 F ① |
| | | | | .160 | 99.74 | | | " ② |
| | | | | .150 | 99.75 | | | " ③ |
| N124 W100 | 99.77 | .130 | 99.90 | .44 | 99.46 | | | BTM 110 F2 TOP " F-3 ① |
| | | | | .45 | 99.45 | | | " ② |
| | | | | .44 | 99.46 | | | " ③ |
| N128 W96 | 99.76 | .145 | 99.905 | .165 | 99.74 | | | Top 129 F ① |
| | | | | .210 | 99.695 | | | " ② |
| | | | | .160 | 99.745 | | | " ③ |
| N136 W88 | 99.71 | .120 | 99.830 | .110 | 99.72 | | | Top 168 H ① |
| | | | | .110 | 99.72 | | | " ② |
| | | | | .090 | 99.74 | | | " ③ |
| | | | | .040 | 99.79 | | | Top 187 F ① |
| | | | | .070 | 99.76 | | | " ② |
| | | | | .095 | 99.735 | | | " ③ |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cumberland

Date 7/31/83

Page No. 64

| STATION | BM el+ | READING | =H.I. | -READING | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N100 W100 | 100.00 | 1.99 | 101.99 | 1.65 | 100.24 | | | Palisade trench TOP 313 F ① |
| | | | | 1.65 | 100.24 | | | " ② |
| | | | | 1.60 | 100.29 | | | " ③ |
| | | | | 1.65 | 100.24 | | | Palisade trench TOP 333 E ① |
| | | | | 1.65 | 100.24 | | | " ② |
| | | | | 1.61 | 100.28 | | | " ③ |
| | | | | 2.09 | 99.80 | | | TOP 91 G-1 |
| | | | | 2.22 | 99.67 | | | TOP 91 C-2 BTM 91 G-1 |
| N124 W100 | 99.77 | .135 | 99.905 | .565 | 99.34 | | | BTM 110 F-3 ① |
| | | | | .62 | 99.285 | | | BTM 110 F-3 ② |
| | | | | .56 | 99.345 | | | BTM 110 F-3 ③ |
| N136 W88 | 99.71 | .15 | 99.86 | .17 | 99.69 | | | TOP-CENTER POST HOLE 167F |
| | | | | .36 | 99.50 | | | BOTTOM OF POST HOLE 167 F |
| | | | | .50 | 99.36 | | | BOTTOM OF POST MOLD 167 F |
| N132 W92 | 100.05 | .14 | 99.91 | .27 | 99.64 | | | BOTTOM OF BORROW PIT 149 G-2 ① |
| | | | | .32 | 99.59 | | | BOTTOM OF BORROW PIT 149 G-2 ② |
| | | | | .29 | 99.62 | | | BOTTOM OF BORROW PIT 149 G-2 ③ |
| N128 W96 | 99.76 | .12 | 99.88 | .45 | 99.43 | | | CLOSING 129 F3 |
| " | " | " | 99.88 | .39 | 99.49 | | | " |
| " | " | " | 99.88 | .40 | 99.48 | | | " |
| " | " | .10 | 99.86 | .29 | 99.55 | | | OPENING 129 E3 |
| " | " | .10 | " | .40 | 99.46 | | | |
| " | " | .10 | " | .38 | 99.48 | | | |
| N100 W100 | 100.00 | 1.98 | 101.98 | 1.60 | 100.38 | | | N140 W100 TOP OF PIPE |
| | | | | 1.25 | 100.73 | | | N180 W100 TOP OF PIPE |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cambridge

Date 30 July

Page No. 65

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| DP | 100.00 | 1.98 | 101.98 | 1.72 | 100.26 | | | | 137 PH-1 |
| | | | " | 1.68 | 100.30 | | | | 176 PH-1 mold |
| | | | " | 1.68 | 100.30 | | | | 176 PH-2 hole |
| | | | " | 1.67 | 100.31 | | | | 157 PH-1 |
| | | | " | 1.67 | 100.31 | | | | 157 PH-2 |
| | | | " | 1.80 | 100.18 | | | | 155 PH-1 |
| | | | " | 1.93 | 100.05 | | | | 153 PH-1 |
| | | | " | 1.68 | 100.30 | | | | 196 PH-1 |
| | | | " | 1.71 | 100.27 | | | | 177 PH-1 |
| | | | " | 1.70 | 100.28 | | | | 156 PH-1 |
| | | | | 1.72 | 100.26 | | | | 156 PH-2 |
| | | | | 1.72 | 100.26 | | | | 156 PH-3 |
| | | | | 1.69 | 100.29 | | | | 156 PH-4 |
| | | | | 2.03 | 99.95 | | | | 95 PH-1 |
| | | | | 2.06 | 99.92 | | | | 95 PH-2 |
| | | | | 2.05 | 99.93 | | | | 95 PH-3 |
| | | | | 2.15 | 99.83 | | | | 93 PH-1 |
| | | | | 2.13 | 99.85 | | | | 93 PH-2 |
| | | | | 1.76 | 100.22 | | | | 136 PH-2 |
| | | | | 1.71 | 100.27 | | | | 118 PH-1 |
| | | | | 1.69 | 100.29 | | | | 138 PH-1 |
| | | | | 1.95 | 100.03 | | | | 96 PH-1 |
| | | | | 1.87 | 100.11 | | | | 154 PH-4 |
| | | | | 1.89 | 100.09 | | | | 117 PH-4 |
| | | | | 1.78 | 100.20 | | | | 117 PH-5 |
| | | | | 1.90 | 100.08 | | | | 135 PH-3 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CU 171

Project Cambridge

Date 30 July 83

Page No. 6 to

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| DP | 100.00 | 1.98 | 101.98 | 1.75 | 100.23 | | | | 137 PH-2 |
| | | | " | 1.73 | 100.25 | | | | 137 PH-3 |
| | | | " | | | | | | ~~117 PH-5~~ |
| | | | " | | | | | | ~~117 PH-4~~ |
| | | | " | 1.98 | 100.00 | | | | 133 PH-1 |
| | | | " | 2.04 | 99.94 | | | | 94 PH-1 |
| | | | " | 2.14 | 99.84 | | | | 94 PH-2 |
| | | | " | 1.97 | 100.01 | | | | 153 PH-2 |
| | | | " | 2.11 | 99.87 | | | | 113 PH-1 |
| begin 7/30 | | | | | | | | | |
| D.P. | 100.00 | 1.94 | 101.94 | x | | | | | 173 PH-1 |
| | | | | x | | | | | 173 PH-2 |
| | | | | x | | | | | 173 PH-3 |
| | | | | x | | | | | 153 PH-3 |
| | | | | x | | | | | 174 PH-1 |
| | | | | x | | | | | 172 PH-1 |
| | | | 101.94 | 1.75 | 100.19 | | | | 192 PH-1 |
| | | | " | 1.74 | 101.20 | | | | 192 PH-2 |
| | | | " | 1.84 | 100.10 | | | | 192 PH-3 |
| | | | " | 1.78 | 100.16 | | | | 192 PH-4 |
| | | | " | 1.91 | 100.03 | | | | 191 PH-1 |
| | | | " | 1.91 | 100.03 | | | | 191 PH-2 |
| | | | " | 1.99 | 99.95 | | | | 171 PH-1 |
| | | | " | 1.96 | 99.98 | | | | 171 PH-2 |
| | | | " | 1.94 | 100.00 | | | | 171 PH-3 |
| | | | " | 1.95 | 99.99 | | | | 171 PH-4 |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV171

Project Combined

Date 30 Aug 83

Page No. 6 of

| STATION | BM el+READING | | =H.I.-READING | | =EL. | | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|---|
| D.P. | 100.00 | 1.94 | 101.94 | 2.07 | 99.87 | | | | 208 P.H. - 1 |
| | | | " | 2.08 | 99.86 | | | | 208 P.H. - 2 |
| | | | " | 2.08 | 99.86 | | | | 208 P.H. - 3 |
| | | | " | 2.09 | 99.85 | | | | 208 P.H. - 4 |
| | | | " | 2.12 | 99.82 | | | | 188 P.H. - 1 |
| | | | " | 2.13 | 99.81 | | | | 188 P.H. - 2 |
| | | | " | 2.13 | 99.81 | | | | 188 P.H. - 3 |
| | | | " | 2.14 | 99.80 | | | | 188 P.H. - 4 |
| | | | " | 2.13 | 99.81 | | | | 188 P.H. - 5 |
| | | | " | 2.14 | 99.80 | | | | 188 P.H. - 6 |
| | | | " | 2.10 | 99.84 | | | | 188 P.H. - 7 |
| | | | | 2.15 | 99.79 | | | | 188 P.H. - 8 |
| | | | | 2.14 | 99.80 | | | | 188 P.H. - 9 |
| | | | | 2.14 | 99.80 | | | | 188 P.H. - 10 |
| | | | | 2.14 | 99.80 | | | | 188 P.H. - 11 |
| | | | | 2.15 | 99.79 | | | | 188 P.H. - 12 |
| | | | | 2.17 | 99.77 | | | | 188 P.H. - 13 |
| | | | | 2.18 | 99.76 | | | | 188 P.H. - 14 |
| | | | | 2.08 | 99.86 | | | | 151 PH-1 |
| | | | | 1.97 | 99.97 | | | | 151 PH-2 |
| | | | | 2.08 | 99.86 | | | | 151 PH-3 |
| | | | | 2.19 | 99.75 | | | | 168 PH-1 |
| | | | | 1.96 | 99.98 | | | | 170 PH-1 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | 1.95 | 99.99 | | | | 190-F |

St. Mary's City Commission

# ARCHAEOLOGY SURVEY LOG

Site 18 CV 171

Project Cumberland

Date 7-31-83

Page No. 71

| STATION | BM el+READING | | =H.I.-READING | | =EL. | BEARING | DISTANCE | DESCRIPTION |
|---|---|---|---|---|---|---|---|---|
| N136 W88 | 99.71 | .15 | 99.86 | .24 | 99.62 | | | BOTTOM OF PALISADE ① 168 H PALISADE |
| | | | | .28 | 99.68 | | | BOTTOM OF PALISADE ② 168 H DITCH |
| | | | | .25 | 99.61 | | | BOTTOM OF PALISADE ③ 168 H DITCH |
| N136 W88 | 99.71 | .15 | 99.86 | .15 | 99.74 | | | BOTTOM OF PALISADE ① - 187F DITCH |
| | | | | .23 | 99.63 | | | BOTTOM OF PALISADE ② - 187F DITCH |
| | | | | .25 | 99.61 | | | BOTTOM OF PALISADE ③ - 187F DITCH |