Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CU84

Project King's Reach Quarter Public Archaeology Program

Date 24 June 1998

Page No. 3

	STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
rebar	N2950 E1927						270° E of North	52.0m	N2950 E1875 - gutter spike
	N2950 E1875						0° East of N.	3.0m	N2953 E1875 - SW corner, □4128 gutter spike
							"	4.5m	N2953 E1875 - NW corner, □4128 gutter spike
							"	10.5m	N2960.5 E1875 - SW corner, □4133 gutter spike
							"	12.0m	N2962 E1875 - NW corner, □4133 gutter spike
							"	18.0m	N2968 E1875 - SW corner, □4138 gutter spike
							"	19.5m	N2969.5 E1875 - NW corner, □4138 gutter spike
							270° E. of N.	60.0m	N2950 E1815 - gutter spike
							0° E. of N.	26.0m	N2976 E1875 - gutter spike
24 July 98	N2969.5 E1876.5	9.815m.	1.250	11.065					
					1.400	9.665			N2977 E1876.5 - □4143 - gutter spike NE corner
					1.43	9.635			N2977 E1875 - □4243 - gutter spike NE corner
					1.45	9.615			N2978.5 E1875 - □4244 - gutter spike NE corner
					1.295	9.77			N2968 E1866 - □4838 - gutter spike SE corner
					1.025	10.04			N2959 E1870.5 - □4531 - gutter spike NE corner
					1.12	9.945			N2968 E1884 - □3638 - gutter spike SE corner
7 Aug. 98	N2969.5 E1876.5	9.815m.	1.325	11.140					
					1.380	9.760			N2969.5 E1872 - □4438 - gutter spike NE corner
					1.255	9.885			N2965 E1864.5 - □4935 - gutter spike NE corner
					1.175	9.965			N2959 E1864.5 - □4931 - gutter spike NE corner

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18 CV 84 - Kings Reach Quarter

Project Public Archaeology

Date 26 June 1998

~~Page~~ Sq. No. = 4128

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2950 E1927	10.91m.	.775	11.685	1.635	10.05				Top of NE corner nail N2954.5/E1876.5
N2954.5 E1876.5	10.05	.14	10.19						
				.158	10.032				NW corner - surface Top of stratum A
				.150	10.04				NE corner - surface Top of stratum A
				.151	10.039				SE corner - surface Top of stratum A
				.178	10.012				SW corner - surface Top of stratum A
				.136	10.054				center of unit - surface Top of stratum A.
N2954.5 E1876.5	10.05	.08	10.13						NE corner NAIL
				.449	9.681				NE CORNER N2954.5 E1876.5 BASE OF STRATUM A
				.440	9.690				SE CORNER N2953 E1876.5 BASE OF STRATUM A
				.415	9.715				SW corner - N2953 E1875 BASE OF STRATUM A
				.474	9.656				NW corner - N2954.5 E1875 BASE OF STRATUM A
				.445	9.685				Center of unit BASE OF STRATUM A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 - Kings Reach Quarter

Project Public Archaeology

Date 26 June 1998

~~Page~~ Sq. No. 4133

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2950 E1927	10.91m	.775	11.685	1.65	10.035				Top of NE corner nail N2962/E1876.5
N2962 E1876.5	10.035	.12	10.155						
				.135					NE corner - surface Top of stratum A
				.120					SW corner - surface Top of stratum A
				.13					center of unit - surface Top of stratum A
N2962 E1876.5	10.035	.08	10.115						NE CORNER - STRING HT.
				.520	9.595				NE CORNER - N2962 E1876.5 BASE OF STRATUM A
				.436	9.679				SE CORNER - N2960.5 E1876.5 BASE OF STRATUM A
				.442	9.673				SW CORNER - N2960.5 E1875 BASE OF STRATUM A
				.500	9.615				NW CORNER - N2962 E1875 BASE OF STRATUM A
				.449	9.666				CENTER OF UNIT BASE OF STRATUM A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18C484 - Kings Reach Quarter

Project Public Archaeology

Date 26 June 1998

~~Page~~ Sq. No. 4138

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2950 E1927	10.91m.	.775	11.685	1.87	9.815				Top of NE corner nail N2969.5/E1876.5
N2969.5 E1876.5	9.815	.12	9.935						
				.14	9.795				NE corner - surface Top of Stratum A
				.11	9.825				SW corner - surface Top of Stratum A
				.11	9.825				Center of unit - surface Top of Stratum A
N2969.5 E1876.5	9.935	.160	10.095						NE CORNER STRINGLINE ELEVATION
				.447	9.648				NE CORNER - BASE OF STRATUM A
				.440	9.655				NW CORNER - BASE OF STRATUM A N2969.5, E1875
				.405	9.690				SE CORNER - BASE OF STRATUM A N2968, E1876.5
				.415	9.680				SW CORNER - BASE OF STRATUM A - N2968, E1875
				.455	9.640				Center - BASE OF STRATUM A (TOP OF Fence Feature)

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84

Project PUBLIC ARCHAEOLOGY

Date 15 July 1998 -

~~Page~~ Sq. No. □4243

STATION	BM el+	READING	=H.I.-	READING	=EL.	BEARING	DISTANCE	DESCRIPTION
N2977 E1875	9.635	.140	9.775					NE corner - nail - string height
				.100	9.675			NE corner at surface N2977 E1875
				.079	9.696			SE corner at surface N2975.5 E1875
				.076	9.699			SW corner at surface N2975.5 E1873.5
				.149	9.626			NW corner at surface N2977 E1873.5
				.131	9.644			Center at surface
N2977 E1875	9.635	.138	9.773					
				.333	9.440			NE CORNER BASE OF STRATA N2977 E1875
				.325	9.448			NW CORNER BASE OF STRATA N2977 E1873.5
				.244	9.529			SW CORNER BASE OF STRATA N2975.5 E1873.5
				.265	9.508			SE CORNER BASE OF STRATA N2975.5-1875
				.318	9.455			Center BASE OF STRATA

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18cv 84 KINGS REACH QUARTER

Project Public ARCHAEOLOGY

Date 23 July

Sc Page No. 1 4038

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2969.5 E1876.5	9.935	.155	10.09					STRINGLINE ELEVATION NW corner N2969.5 E1876.5
				.152	9.938			NW corner - Surface N2969.5 E1876.5 Top of Stratum A
				.150	9.940			NE CORNER - SURFACE N2969.5 TOP OF STRATUM A E1878
				.110	9.980			SE CORNER - SURFACE N2968 TOP OF STRATUM A E1878
				.120	9.970			SW CORNER - SURFACE N2968 TOP OF STRATUM A. E1876.5
				.142	9.948			CENTER - SURFACE TOP OF STRATUM A
N2969.5 E1876.5	9.935	.161	10.096					STRINGLINE ELEVATION NW CORNER N2969.5, E1876.5
		.1[illegible]1		.431	9.665			NW CORNER - BASE OF STRATUM A. - TOP OF FEATURES
				.360	9.736			NE CORNER - BASE OF STRATUM A - TOP OF Subsoil
				.334	9.762			SE CORNER - BASE OF STRATUM A - TOP OF SUBSOIL
				.389	9.707			SW CORNER - BASE OF STRATUM A - TOP OF SUBSOIL
				.392	9.704			CENTER - BASE OF STRATUM A - TOP OF FEATURES

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 24 July 1998

~~Page~~ Sg No. 4143

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N 2977 E 1876.5	9.665	.169	9.834					STRINGLINE ELEVATION NE CORNER
				.196	9.638			NW CORNER TOP OF STRAT A
				.175	9.659			NE CORNER TOP OF STRAT A
				.175	9.659			SE CORNER TOP OF STRAT A
				.180	9.654			SW CORNER TOP OF STRAT A
				.185	9.649			CENTER - TOP OF STRAT A
N 2977 E 1876.5	9.665	.150	9.815					
				.351	9.464			NE CORNER BASE OF STRATA
				.332	9.483			NW CORNER
				.336	9.479			Center 1
				.291	9.524			SW CORNER
				.234	9.581			SE CORNER

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 KINGS REACH ARCH.

Project Public Archaeology

Date 25 July 1998

~~Page~~ Sq No. 4244

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2978.5 E1875	9.615	.164	9.779					STRINGLINE ELEVATION
				.190	9.589			NW CORNER N. 2978.5 TOP OF STRAT A E 1873.5
				.198	9.581			NE CORNER N 2978.5 TOP OF STRAT A E 1875
				.192	9.587			SE CORNER N 2977 TOP OF STRAT A E 1875
				.180	9.599			SW CORNER N 2977 TOP OF STRAT A E 1873.5
				.175	9.604			Center Top of STRAT A
N2978.5 E1875	9.615	.140	9.755					STRINGLINE ELEVATION
				.306	9.449			NW CORNER - BASE OF STRAT A N2978.5 E1873.5
				.329	9.426			NE CORNER - BASE OF STRAT A N 2978.5 - E1875
				.286	9.469			SE CORNER - BASE OF STRAT A N 2977 E 1875
				.292	9.463			SW CORNER - BASE OF STRAT A N 2977 E 1873.5
				.315	9.440			Center - BASE OF STRAT A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 25 July 1998

Sq. No. 4531

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2959 E 1870.5	10.040	.137	10.177					STRING LINE Elevation NE CORNER
				.210	9.967			NW CORNER N2959 TOP OF STRAT A E1869
				.135	10.042			NE CORNER N2959 TOP OF STRAT A E1870.5
				.141	10.036			SE CORNER N2957.5 TOP OF STRAT A E1870.5
				.122	10.055			SW CORNER N2957.5 TOP OF STRAT A E1869
				.094	10.083			Center TOP OF STRAT A
	10.040	.155	10.195					STRING LINE ELEVATION NE CORNER
				.597	9.598			NW CORNER N2959 BASE of STRAT. A E1869
				.575	9.620			NE CORNER N2959 BASE OF STRAT. A E1870.5
				.575	9.620			SE CORNER N2957.5 BASE OF STRAT. A E1870.5
				.585	9.610			SW CORNER N2957.5 BASE OF STRAT. A E1869
				.556	9.639			CENTER BASE OF STRAT. A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 25 July 1998

~~Page~~ Sq No. 4838

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2968 E1866	9.770	.145	9.915					STRINGLINE ELEVATION SE CORNER
				.166	9.749			SE CORNER - N2968 TOP OF STRAT A E1866
				.207	9.708			Center TOP OF STRAT. A
				.208	9.707			NW corner - N2969.5 TOP OF STRAT A E1864.5
				.173	9.742			SW CORNER N2968 TOP OF STRAT. A E1864.5
				.197	9.718			NE CORNER - N2969.5 TOP of STRAT A E1866
N2968 E1866	9.770	.131	9.901					STRING LINE ELEVATION SE CORNER
				.469	9.432			NW CORNER - N2969.5 E1864.5 BASE OF STRAT A
				.466	9.435			NE CORNER BASE OF STRAT A
				.467	9.434			SE CORNER BASE OF STRAT A
				.475	9.426			SW CORNER BASE OF STRAT A
				.465	9.436			CENTER

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18cn 84 KINGS REACH QUARTER

Project Public Archaeology

Date 7/29/98

~~PSF~~ SF No. 4931

STATION	BM el+READING		=H.i.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2959 E1864.5	9.965	.140	10.105					STRINGLINE ELEVATION N2959 E1864.5
				.177	9.928			TOP OF STRAT A NW CORNER N2959 E1863
				.168	9.937			TOP OF STRATA NE CORNER N2959 E1864.5
				.153	9.952			TOP OF STRAT A SE CORNER N2957.5 E1864.5
				.162	9.943			TOP OF STRAT A SW CORNER N2957.5 E1863
				.186	9.919			TOP OF STRAT A Center
N2959 E1864.5	9.965	.185	10.150					STRINGLINE ELEVATION N2959 E1864.5
				.549	9.601			NW CORNER N2959 E1863 BASE OF STRAT A
				.589	9.561			NE CORNER N2959 E1864.5 BASE OF STRAT A
				.589	9.561			SE CORNER N2957.5 E1864.5 BASE OF STRAT A
				.580	9.570			SW CORNER N2957.5 E1863 BASE OF STRAT A
				.582	9.568			CENTER BASE OF STRAT A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18 CV 84 KINGS REACH QUARTER

Project PUBLIC ARCH

Date 7/29/98

Page No. 4228

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N 2954.5 E 1876.5	10.05	.085	10.135					STRING LINE ELEVATION NE CORNER □ 4128
				.103	10.032			NE CORNER TOP OF STRATA N2954.5 E 1875
				.122	10.013			center TOP OF STRATA
				.105	10.030			SW CORNER TOP OF STRATA N 2953 · E 1873.5
				.068	10.067			NW CORNER TOP OF STRATA N2954.5 - E 1873.5
				.075	10.060			SE CORNER TOP OF STRATA N 2953 E 1875
N 2954.5 E 1876.6	10.05	.117	10.167	[illegible]				STRING LINE ELEVATION NE CORNER □ 4128
				.511	9.656			BASE OF STRATA NE CORNER N2954.5 E 1875
				.465	9.702			BASE OF STRATA center
				.451	9.716			BASE OF STRATA SW CORNER N2953 E 1873.5
				.455	9.712			BASE OF STRATA NW CORNER N2954.5 E 1873.5
				.481	9.686			BASE OF STRATA SE CORNER N2953 E1875

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site KING REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 5 Aug 1998

~~Page~~ Sq No. B38

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N 2968 E 1884	9.945	.195	10.14					STRING-LINE ELEVATION SE CORNER N 2968 E 1884
				.215	9.925			TOP OF PLOWZONE (STRATA) NW CORNER N2969.5 E1882.5
				.221	9.919			TOP OF STRATA NE CORNER N2969.5 E 1884
				.233	9.907			TOP OF STRAT A SE CORNER N2968 - E1884
				.175	9.965			TOP OF STRAT A SW CORNER N2968 - E 1882.5
				.187	9.953			TOP OF STRAT A Center
N2968 E1884	9.945	.174	10.119	[illegible]				
				.396	9.723			SE CORNER BASE OF STRAT A N 2968 E 1884
				.399	9.780			Center BASE OF STRAT A
				.385	9.734			NE CORNER BASE OF STRAT A N 2969.5 E 1884
				.395	9.724			SW CORNER BASE OF STRAT A N 2968 E 1882.5
				.370	9.749			NW CORNER BASE OF STRAT A N 2969.5 E 1882.5

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 8 Aug 1998

Page No. 4139

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2969.5 E1876.5	9.815	.090	9.905						STRINGLINE ELEVATION SE CORNER
				.075	9.983				SE CORNER TOP OF STRAT A N2969.5 - E1876.5
				.119	9.786				SW CORNER TOP OF STRAT A N2969.5 - E1875
				.112	9.793				center TOP OF STRAT A
				.148	9.757				NE CORNER TOP OF STRAT A N2971.5 E1876.5
				.167	9.738				NW CORNER TOP OF STRAT A N2971 - 1875
N2969.5 E1876.5	9.815	.045	9.860						STRINGLINE ELEV. SE CORNER
				.342	9.518				SE CORNER BASE OF STRAT. A N2969.5 - E1876.5
				.357	9.503				SW CORNER BASE OF STRAT A N 2969.5 - E1875
				.354	9.506				CENTER BASE OF STRAT A
				.355	9.505				NE CORNER BASE OF STRAT A N2971 - E1876.5
				.356	9.505				NW BASE OF STRAT A N2971 - E1875

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84 KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 12 AUG 1998

Page No. 1

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2959 E1864.5	9.965	.108	10,073					STRING LINE ELEVATION (NE corner, □4931)
N				.135	9.938			NE CORNER - surface N2957.5 E1866
				.142	9.931			CENTER - surface
				.157	9.916			SW CORNER - surface N2956 E1864.5
				.139	9.934			SE CORNER - surface N2956 E1866
				.139	9.934			NW CORNER - surface N2957.5 E1864.5
N2959 E1864.5	9.965	.150	10.115					STRING LINE ELEVATION (NE CORNER, □4931)
				.465	9.650			NE CORNER - N2957.5 E1866 BASE OF STRATUM A
				.521	9.594			CENTER BASE OF STRATUM A
				.499	9.616			SW CORNER - N2956 E1864.5 BASE OF STRATUM A
				.522	9.593			SE CORNER - N2956 E1866 BASE OF STRATUM A
				.543	9.572			NW CORNER - N2957.5 E1864.5 BASE OF STRATUM A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18cv84 KINGREACH QUARTERS

Project PUBLIC ARCHAEOLOGY

Date 12 Aug 1998

~~Page~~ SS No. 4438

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N 2969.5 E 1872	9.760	.155	9.915					STRING LINE ELEVATION NE CORNER
				.159	9.756			NE CORNER TOP OF STRATA N 2969.5 E 1872
				.162	9.753			center-TOP OF STRAT A
				.147	9.768			SW CORNER TOP OF STRAT A N2968 E 1870.5
				.081	9.834			SE CORNER TOP OF STRAT A N 2968 E 1872
				.110	9.805			N W CORNER TOP OF STRAT A N 2969.5 · 1870.5
N2969.5 E1872	9.760	.164	9.924					STRINGLINE ELEVATION NE CORNER
				.493	9.431			NW CORNER BASE OF STRAT A
				.484	9.440			NE CORNER BASE OF STRAT A
				.460	9.464			SW CORNER BASE OF STRAT A
				.452	9.472			SE CORNER BASE OF STRAT A
				.478	9.446			center BASE OF STRAT A
N2969.5 E1872	9.760	.150	9.910					STRINGLINE ELEVATION
				.474	9.436			center - Top of Fence Ditch Feature
	9.760	.153	9.913					STRINGLINE ELEVATION
				.633	9.280			center - bottom of fence ditch feature
N2969.5 E1872	9.760	.153	9.913					STRINGLINE ELEVATION
				.675	9.238			Top of Posthole v mold
				.713	9.200			BOTTOM OF Posthole v mold
								TO
N2969.5 E1872	9.760	.145						STRINGLINE ELEVATION
				.620				STRING LINE ELEVATION Profile Line Postmold
				.430				STRING LINE ELEVATION PROFILE LINE - FENCE DITCH

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18cv 84 KINGS REACH QUARTER

Project PUBLIC ARCHAEOLOGY

Date 14 Aug 1998

~~Page~~ Se No. 4935

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2965 E1864.5	9.885	.110	9.995						STRING LINE ELEVATION N2965 E1864.5
				.135	9.860				NW CORNER TOP OF STRAT A N2965 E1863
				.117	9.878				NE CORNER TOP OF STRAT A N2965 E1864.5
				.115	9.880				SE CORNER TOP OF STRAT A N2963.5 E1864.5
				.080	9.915				SW CORNER TOP OF STRAT A N2963.5 E1863
				.114	9.881				Center TOP OF STRAT A
N2965 E1864.5	9.885	.130	10.015	.130					STRING-LINE ELEVATION N2965 E1864.5
				.500	9.515				NW CORNER BASE OF STRAT A N2965 E1863
				.534	9.481				NE CORNER BASE OF STRAT A N2965 E1864.5
				.462	9.553				SE CORNER BASE OF STRAT A N2963.5 E1864.5
				.460	9.555				SW CORNER BASE OF STRAT A N2963.5 E1863
				.478	9.537				Center BASE OF STRAT A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18cv84 KINGS REACH QUARTER

Project PUBLIC ARCH

Date 15 Aug 1998

Page No. □ 4238

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2969.5 E1875.5	9.815	.130	9.945		9.815			STRING LINE ELEVATION
				.131	9.814			NW CORNER-TOP OF STRAT A N2969.5 E 1873.5
				.140	9.805			NE CORNER-TOP OF STRAT A N2969.5- E1875
				.112	9.833			SE CORNER - TOP OF STRAT A N2968 E 1875
				.133	9.812			SW CORNER - TOP OF STRAT A N2968 E 1873.5
				.156	9.789			center TOP OF STRAT A
N2969.5 E1876.5	9.815	.075	9.890					STRINGLINE ELEVATION
				.435	9.455			NW CORNER BASE OF STRAT A N2969.5 E1873.5
				.440	9.450			NE CORNER BASE OF STRAT A N2969.5 E 1875
				.385	9.505			SE CORNER BASE OF STRAT A N2968 E1875
				.375	9.515			SW CORNER BASE OF STRAT A N2968 E 1873
				.430	9.460			center BASE OF STRAT A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84

Project Public Archaeology

Date 26 SEPT 1998

Page No. □4939

STATION	BM el+READING		=H.I.-READING		=EL.		BEARING	DISTANCE	DESCRIPTION
N2968 E1866	9.770	.03	9.800						STRINGLINE AT SE CORNER, □4838
				.125	9.675				N2969.5-E1864.5 SE CORNER
				.125	9.675				C CENTER SURFACE
				.162	9.638				N2971 E1863 NW corner surface
				.138	9.662				N2969.5 E1863 SW Corner surface
				.158	9.642				N2971 E1864.5 NE corner
N2968 E1866	9.770	.030	9.800						STRINGLINE ELEV AT SE CORNE □4838
				.428	9.372				N2971 E1864.5 NE CORNER BASE OF A
				.456	9.344				N2969.5-E1864.5 SE CORNER BASE OF A
				.454	9.342				N2969.5 E1863 SW CORNER BASE OF A
				.445	9.355				N2971 E1863 NW CORNER BASE OF A
				.437	9.363				CENTER BASE OF A

Jefferson Patterson Park & Museum

ARCHAEOLOGY SURVEY LOG

Site 18CV84

Project Public Archaeology

Date 28 SEPT 1998

Page No. □ 4927 N2951.5 2953 E1863-1864.5

STATION	BM el+READING		=H.I.-READING		=EL.	BEARING	DISTANCE	DESCRIPTION
N2957.5 E1866	9.965	1.26	10.225	1.30	9.925			NW corner □4827 AT NAIL N2953 E1864.5
	9.925	.120	10.045					STRING LINE ELEVATION
		.120		.135	9.910			NE CORNER - N2953 E1864.5
				.150	9.895			Center
				.135	9.910			SW CORNER N2951.5-E1863
				.142	9.903			NW CORNER N2953 E1863
				.138	9.907			SE CORNER N2951.5-E1864.5
	9.925	.115	10.040					STRING LINE ELEVATION AT NE CORNER NAIL N2953 E1864.5
				.427	9.613			NE CORNER N2953 E1864.5
				.420	9.620			CENTER
				.422	9.618			SW CORNER N2951.5 E1863
				.421	9.619			SE CORNER N2951.5 E1864.5
				.404	9.636			NW CORNER N2953-E1863