LORETTA

OXON HILL

CREW CHIEF

TELEDYNE

416

FIELD/TRANSIT BOOK

OXON HILL

LORETTA L.

301/ 567-6115

Property of _____

_____

Address _____

_____

Telephone _____

This Book is manufactured of a High Grade 50% Rag Paper having a Water Resisting Surface, and is sewed with Nylon Waterproof Thread.

INDEX

Screens TASK C
LAB TASK F
Area 1 " G1
TASK groups continued next page

Fill levels pp 10
Feature Reserve pg 12
Feature codes p. 20
Screen sample p. 26
Area 4 - strata p. 65
567-6115 - trailer phone
Feature form format p. 57
Area 4B - Fill descriptions 73, 74
water screen 72
Area 4 - Units 67, 71
Area 4C - Fill 87
Area 4F - Strata 93
Brick feature Area 4 - 96
Photo log - K4B p. 98
note: Betsy allergic to stinging insects
Nasty comments 83 & 99, 127
Area 6A - Coordinates 107

301/ 567-6115

Property of _____

_____

Address _____

_____

Telephone _____

This Book is manufactured of a High Grade 50% Rag Paper having a Water Resisting Surface, and is sewed with Nylon Waterproof Thread.

INDEX

Screens Task C
Lab Task F
Area 1 " G1
Task groups continued next page

Fill levels pp 10
Feature Reserve pg 12
Feature codes p. 20
Screen sample p. 26
Area 4 - strata p. 65
567-6115 - trailer phone
Feature Form format p. 57
Area 4B - Fill descriptions 73, 74
water screen 72
Area 4 - units 67, 71
Area 4C - Fill 87
Area 4F - Strata 93
Brick feature Area 4 - 96
Photo log - K4B p. 98
note: Betsy Allergic to stinging insects
Nasty comments 83 + 99, 127
Area 6A - Coordinates 107

Area 4 Trenches	J 1
" Random 1x1	J 2
10x10 Block	J 3
Wall	G 2
Area 2	H
Limits Area 3 + cleaning	F 1
Trench Area 3	I 2
Area 5	K
Area 6	L A-1 B-2 C-3 D-4
Cellar	G 3

/Decrease to North & West/

/

JAN 10, 1985

25° overcast

Shelter remained standing overnight!
Continued work on closing the ends, diagonal bracing & other refinements.
installed heaters in shelter.
clearing area for screening operations
began setting squares within the shelter.

JAN 11, 1985

20° overcast 4" snow on ground
shelters held up.
built extension ~~for~~ screening operation

JAN 14, 1985

ground frozen in A.m.
remaining crew in.
began excavation of 2 units.
plastic down off big shelter + being repaired.
began screening at material. Top level is frozen + difficult to screen.
lower levels are easier.
Brick from each level is weighed, entered in the log and discarded.
Four more units were opened in the afternoon resulting in a back up in the screening room.
This should ease up as the frozen levels are screened
general artifact classes seem to be architectural - brick, mortar, glass + slate. Good bit of coal

Bags in 1/14/85

#	provenience	# of Bags	level	Kg slate	Kg Brick
1	U10 00 12	1	1A		14.66
2	U10 00 23	1	1A		0.25
3	U10 00 12		2		0.4
4	U10 00 23	5	1B		0
11	U10 00 13	1	1A		0
6	U10 00 19	1	1A	(mortar 0.5) 0.5	11.25
17	U10 00 16	2	1A	mortar 1.25 slate 0.75	15.0
5	U10 00 14	2	1A		7.5

1/15/85

15	U10 00 63	1	1A		0.1
9	U10 00 58	1	1A	(mortar 0.1)	
16	U10 00 62	1	1A		7.5
13	U10 00 21	1	1A		1.25
22	U10 00 19	2	1B	mortar 0.1 slate 0.1	9.75
14	U10 00 22	1	1A		0.33
24	U10 00 16	1	1B		19.25

transferred to log

5

1/15/85

Temp. 20° and extremely windy

plastic off of both shelters.

The screening house was fairly easy to repair but the wind is continuously pulling it loose. Large shelter is another story.

Dirt in screens & wheelbarrows is frozen - operation is a slow go this am.

Robin Tees is out sick today.

The material so far has a large amount of river rock - small gravel sized cobbles.

Still getting lots of brick, slate, some few bits of glass + ceramics

Finally caught up on screening

David Mallat designed clips for the shelters which have stabilized the plastic.

Transferred bag count to log book which will stay with the screening operation

(wind chill for today was -8°)

1-16-85

temp is teens, but no wind
Full crew - Becky Romaine reported for work.
Crew chief meeting in A.M.
put one kerosene heater in screening tent. Screening tent was considerably warmer. Much of soil is still frozen & takes a long time to screen.
Weighing slate & mortar & discarding
also began separating glazed brick out & are weighing it separately from regular bricks.

1-17-85

4 inches of snow on ground & still falling.
Temp. About 27°
Lynn Pietak was assigned to screening crew
The shelter was covered with snow but held, probably another couple of inches would spell disaster.
Brenda Randolph hasn't made it in yet. Brenda got in at 10:00 AM.

1-17-85 cont

Additional crew to screening operation at 10:45 Am. Susan Eigen Kathy Mulchrone, Rosanna Pfeiffer Romana Allone worked until 1:45 trowel-sorted several wheel barrows of level 2-A material, however one unit contained creamware + delftware. decided to trowell-sort only those unit which are really clayey should be trowell-sorted, all others will be screened, most of stuff is still architectural but beginning to get some more ceramics etc.

1-18-85

Overcast c. 30°

All crew present. Decided to ban smoking in the shelter due to headache + low-level bitching. Started this Am with 9 wheel barrows lined up. Were caught up by 10:00 Am. Prepared an area to lay black plastic down to spread out the frozen earth to facilitate thawing.

1-21-85

. no work due to cold

1-22-85

12B - cold but no wind

All crew present

Crew chief's meeting in AM

divide screen crew to provide continuity

and David Mallet to crew

need to keep track of screening time



Unit 25 1A has been removed

Unit 26 excavating 1B

▲ S216E226

Soil sample out of SE corner of 2x2

Began excavation of unit 64

continued excavation of unit 26-1B

due to space limitations, did not work unit 25 at this time

Unit 26 Level 1B - BAG # 91
Unit 64 Level 1A BAG # 97
Level one A of unit 64 is frozen down
At least 3-4 inches.
Unit 64 level 1B BAG # 111
Screening was handled by Esther's
Crew & personel from each crew as
they processed their own dirt
Things got pretty backed up

1/23/85
mid 20° clear
all crew present
Cleaned surface of unit 64 level
1B for photographs
Continued cleaning of unit 26 level
1B. The cobble scatter in this unit
does not appear to be comprehensive
material will continued to be gathered
and mapped & photographed, then removed.
Photographed Unit 64 level 1B
BAG 120 - Unit 64 level 2A

On Level forms:

A-L are Arbitrary levels
M-Y are reserved for levels on Anomalous Zone.

Y - Surface finds

Rachel on TASK C 8:00 AM till 11:00 (3)
Jane & Randolph on TASK C 10:00 - 12:00 (2
→ 10:00 → 10:45 (0.75)
Photographed & mapped unit 26 Level 1B
removed cobble sorter & remapped & photographed unit.
Bill Barkman to screens 12:30 - 4:30 (4)
Began removal of Unit 64 level 2B
Unit 64, level 2B Bag # 127
Unit 25, level 1B Bag # 128
unit 25, level 1B soil sample Bag # 129
DAVID JONES TASK C 2:00 - 2:30 (0.5)

1-24-85
26° OVERCAST -
All crew present
continued cleaning of unit 25
reset grid for unit 67 SE S215 E225
began cleaning this unit
Unit 67 level 1A - Bag # 133

11

Unit 67 level 1B - Bag # 141
Brick 120 64/2A NADA
Bag 127 64/2B "
Bag 128 25/1B 4.0 Kg brick
Bag 133 67/1A NADA

Unit 25 level 2A - Bag # 146
Unit 25 level 2A - Bag # 149
Soil sample

Unit 66 level 1A Bag # 153
Unit 66 level 1B Bag # 155

1-25-85
temp 30° overcast
All crew present
David Mallett arrived 8:30
Features:

7 1A | - - - - | - - -

code Reserve

Blanks

Feature #

4 digits - leading zeros



Feature reserves #

001	- North half	09	North half of post mold
002	- South "	10	south half of post mold
003	- East	11	
004	- west	12	
005	- NE quad	13	
006	- SE quad		
007	- NW quad		
008	- SW quad		

A - Z feature types

Example A 02 — south half

/post hole(?)

Unit 25 level 2A

Feature #16 in east wall

Feature #17 in west wall

Unit 66 level 2A - Bag # 164

Unit 67 level 2A - Bag # 165

Unit 26 level 2A - Bag # 166

Batterman on screen	10:00 - 12:00	2
Jones - screen	11:00 - 12:00	1
Breda "	10:00 - 11:00	1
Rachel on screen	10:00 - 11:00	1

13

units 805, 804, 764, 763

67	66		
26	25	24	23
805	804	803	802
767	763	762	761

unit 805 MAIN S218/E226 SE corner S217E225
804 MAIN S218 E226 SE corner S217E226
764 MAIN S218 E226 SE corner S218E225
763 MAIN S218E226 SE corner S218E226

unit 67 level 1B bag 141 Bar 0.5
motor 1.0
unit 25 level 2A bag 146 - 0.75 Bar
unit 66 level 1A bag 153 - nada
unit 66 level 1B - bag 155 - nada
unit 66 level 2A bag 164 0.6

Unit 804 level 1A Bar # 173

Unit 67 level 2A
Feature 20 - under [illegible]
Feature 21 dark stain [illegible]
Feature 22 - light plum [illegible]
intrusive 66

Unit 26 level 2A. feature 2
[illegible] located on east side
feature 2 located in SW corner

1-26-85
20° - windy. very cold
Short crew Brenda & David [illegible]
worked screening [illegible]
Esther. [illegible] Freemen here [illegible]
Esther's crew [illegible]
Screening tent needed some repair
After the wind storm. One shelter is
gone. Are not going to work the
units in the [illegible]
Jonathan [illegible] [illegible] now

1-28-85
20° overcast
new crew assignments
Brenda, Jim Evans, Rachel, David M.

Brick weight Unit 67 level 2A 4.5 kg
Unit 25-2A [illegible] 166 0.25 kg

15

unit 763 level 1A BAG 188

unit 803 - MAIN S218 E228 SE S217/E227
unit 802 - MAIN S218 E228 SE S217/E228
unit 762 - MAIN S218 E228 SE S218/E227
unit 761 - MAIN S218 E228 SE S218/E228

unit 763 level 1B Bag # 193
unit 763 level 1B Bag 198 Soil Sample
unit 804 level 1B Bag 199

unit 802 level 1A Bag 202

opening units 802 & 763 - continuing unit 804, Levels 1A & 1B are proper risking plan going

unit 763 level 1C Bag # 209
unit 763 level 1C Bag # 210 Soil Sample

Brick weights
" 763 level 1B - 2.0 kg Brick

1-29-85

20° clear

all crew here

continued removal of upper level of 804, 802, 763

Unit 804 level 1C Bag # 218
Unit 802 level 1B Bag # 219
unit 763 level 1M Bag # 220
unit 763 level 1M Soil sample # 221

bag 218 - shell, bone, glass, metal, charcoal

unit 763 level 1N Bag # 228
unit 763 level 1N Bag # 229 Soil sample

unit 804 level 1C Feature 33

in SW corner

1-30-85

20° clear

all crew present

unit 763 level 1-O Bag # 242
unit 763 level 1-O Bag 243 soil sample

17

Unit 803 level 1A bag # 244

continued in units 802+763
began opening 803
803+802 are frozen + hard going

Rocheal on screens 8-12, 12:30-3:30
Mallach screened 2 hr.
Erante screened 3 hr.

Unit 763 level 1-0
feature 36 - circular stain north east
feature 37 - Squarish stain in SE corner

JAN 31, 1985
3 inches snow on ground and still
Snowing temp in low 30°s
Mallach + Erante in
Randolph + Bauchardt absent



Unit 137 MAIN ▲ S214 E238 SE S213 E237
Unit 136 MAIN ▲ S214 E238 SE S213 E238
unit 96 MAIN ▲ S214 E238 SE S214 E237
unit 95 MAIN ▲ S214 E238 SE S214 E238

Opening units 96 & 95

unit 96 level 1A Bag # 261
unit 95 level 1A Bag # 262
Randolph in 8:30

Unit 95 level 1A Bag # 263 soil sample

MALLETT on Screen - 9:30 - 11:30
Randolph on Screen - 9:30 - 11:30
Barhart in at 10:00 A.M.

Rachel to Screen 10:00 AM - 12:00
12:30 - 1:45

Unit 96 level 1B Bag # 269

Brenda to screen 1:45 - 2:45
ERANTE to scren 1:00 - 2:00
unit 95 level 1B Bag # 273
Unit 95 level 1B Bag # 274 Soil Sample

19

Feb 1

Rainy - Couldn't work the units.
Entire crew in screening tent all day
Sent Jim Errante home sick at noon

Feb 4th

Feature Codes

A - post hole (including post molds)
B - just post molds
C - planting hole
D - planting ditch
E - well
F - privy
G - pit (generalized)
H - foundation
~~I - cellar holes~~
J - builder's trench
K - chimney base
L - drip line
M - cistern
N - walkway
~~O - root cellar~~
P - shell midden
~~Q - dump~~
R - Cellar Holes
S - Root Cellar
T - Dump
U -
V -
W -
X -
Y -
Z - unknown

21

Feb 4th (Cont)

18° Cold + clear

Jim Errante has not called in or reported for work

Continued work on units 802 + 803 outside. They were not frozen

Also worked on units 9 & 95 in the shelter. These had some damage from standing water on Friday. Some silt.

Unit 802 has encountered shell - part of feature 2

Feb. 5th

26° — overcast

Errante back.

Jim to screens 8:00 to 10:00 } 5 1/2
11:30 to 12:00
3:00 - 4:30

David to screen 10:00 - 12:00 } 5 1/2
12:30 - 3:00

Marion to screens 12:30 - 4:30 4

began snow/sleet @ 1:45

built Betsy a lemonter

Unit	Level	Bag #		SE Corner
95	2A	310		
95	2A	311	Soil sample	
803	1B	319		
96	1M	322		
761	1A	323		
761	1A	324	Soil sample	
137	1A	333		S213 E237
96	2A	317		S214 E237
137	1B	349		S213 E237
137	2A	352		S213 E237
805	1A	353		S217 E225
136	1A	360		S213 E238
761	1B	361		S218 E228
761	1B	362	SS	S218 E228
762	1A	364		S218 E227
~~805~~	~~1B~~			~~S217 E225~~
761	1M	380		S218 E228
761	1M	381	SS	S218 E228
136	1B	388		S213 E238
762	1M	391		S218 E227
135	1A	394		S213 E239
Feat 2	P04	400		
Feat 2	P03	399		
135	1B	408		S213 E239

23

2-6-85

30° - icy roads & field conditions

Jim removing level 1B from unit 137.

All others on screen.

reset stake in S.E. corner of unit 95 5214 E 238

2½ Marion on screen 8:00 - 10:30

5½ David on screen 8:00 - 12:00 3:00 - 4:30

1 Betsy on screen 8:00 - 9:00

4 Jim to screen 12:30 - 4:30

2-7-85

26° clear - windy

Jim working unit 136

3) David to screens 8:00 - 11:00

5½ Marion to screens 9:00 ~~12:00~~ - 12:30 - 2:00

2½ Betsy to screens 9:00 - 10:30

2 Jim screen 11:00 - 12:30 12:30 - 1:30

Silas Hurry Friday visit

Tyller Bastian - State Arch.
Rita S. - DOT
Loren McWaters - Historian
Beth Brown -
Maureen ? -
Dennis Currey -
Richard Hughes

Unit 761 level 1m
Feature 56
Shell cluster

Unit 136 - 1B
Feature - 57
Bench deposit + stone wall
extend N into unit 177
E into 135 - NE into 176

25

Feb. 8, 1985
Cold, clear 20° - 0° windchill.

unit 135 MAIN, S214 E238 SE. S213 E239
→ note pulling main from unit 95

DAVID cleaning unit 762 - 1B
Jim cleaning 136 feature 56
Marion & Betsy cleaning Feature 2
Marion to screen 10:30 - 12:00
Betsy to screen 10:30 - 12:00
David to see 3:30 - 4:30

Feb 11, 1985

Clear & cold - 30° to get to 40°!
due to frozen conditions will
take a 50% sample of level 1
for screening. Screen every other
2×2 & dispose of rest.

* All unscreened units will have
a "C" instead of "U" in
beginning

* Artifacts in the checked stuff are in
11 level

67	66		
26	25	24	23
805	804	803	802
764	763	762	761

Finish screen 1:00 - 2:30

Completed removal of feature 2
removed level 1 of 805

Unit 23 2nd center - feature 68

unit 24 NW corner 67 (feature

* 12 surface finish

27

Feb 12, 1985
Rain - no digging
David Mallett finished mapping
2 hr. Feature 57 in Unit 135
Remainder of new in screen 8-11:00
returned to lab at 11:00

Feb 13, 1985
Cold - overcast
Combo - mud & ice
Marion in unit
Betsy in unit
David opening unit 764
Jim taking out feature 57 - west
& east
the apparent "drain" (NE) of feature
57 contains pig bones - this
feature & feature 52 - join
~~at~~ the N side of 57

Unit 803 level 2A
Feature 79
squarish dark fill in NW quad

	Unit	level	Box #	Comment	Proj.
2/11	805	1B	414		S217 E225
2/	23	2A	421		S216 E228
2/	24	2A	423		S216 E227
2/11	23	2A	424	SS	
2/12	65	2A	84		
2/12	Test 57	Z04	432		
2/10	802	2A	433		S27E228
2/10	803	2A	434		S217E227
2/12	764	1A	435		S218 E225
2/13	Test. 57	Z03	449		
2/14	761	1N	479		S218 E228
2/14	761	1N	480	SS	S218 E228
2/14	764	1B	481		S218 E225
2/	762	1N	482		S218 E227
2/	800	1Y	496		S217 E230
2/14	762	2A	497		S218 E227
2/15	801	1Y	501		S217 E229
2/15	764	2A	510		S218 E225
2/15	136	2A	516		S213 E239

29

Feb 14, 1985
Cold - clear
no photo's of 1x1 which are
checked out.
on summary forms - on description
by #'s provence # - soil type
under description
Jim to screen 8:00 →
Betsy to screen 8:00 →
David to screens 8:00 →

Unit 759 MAIN S218 E230 SE S218 E230
Unit 760 MAIN S218 E230 SE S218 E229
1x85 Unit 800 MAIN S218 E230 SE S217 E230
1/15 Unit 801 MAIN S218 E230 SE S217 E229

	801	800
	760	759

↑

Feature 89 is new feature #
in unit 761
Began [illegible] unit 800 - which
which have [illegible] discarded

Feb 15, 1985

Cold & clear, warming in late P.M.

Erranle on grounds patrol - cleaning etc. than taking out the 2A level of unit 136. After feature 57 removed, the 2A was shovel-shaved to recover artifacts which were visible on the surface

Marion mapping feature 89 [illegible] 761. Since it probably [illegible] she will remove the unit to the east - 801

Betsy removing level 2A of unit 762 - no features [illegible]

David removing level 2A of unit 764 - probable features

Unit 764 level 2A

feature 95 NE quad possible post hole & mold contiguous to feature 33

feature 96 South half visible post hole & mold(s)

feature 97 - [illegible]

31

Unit 762 level 2A

feature 98 - ~~small~~ dark circular stain -

feature 99 - clay & charcoal circular stain in east center

feature 100 - dark mottled stain - plant/root hole (C)



Unit 679 MAIN S220 E228 SE S220 E228
unit 680 MAIN S220 E228 S220 E227
unit 720 - " " S219 E228
unit 721 - " " S219 E227

BALK on south line

Unit 677 MAIN S220 E230 SE S220 E230
" 678 " " S220 E229
" 718 " " S219 E230
" 719 " " S219 E229
"

Balk on South & east

Feb 18, 1984

35° + clear

David + Betsy mapping

Marian + Jim - checking out 800 + 801

Chip Ryan - lawyer for Straw Corp

Lewis - owner of Straw Corp

photo 719, 718, 678, 677

BW Roll 21-15

Cu. 27-19, 20

Feb 19, 1985

Cool & overcast in AM

Marian & Jim cleaning units

760 & 759

A large feature has developed in the south of these units half in each unit.

Feature 117 is a squarish dark stain with bricks & shell, & bone rubble.

801, 800 units

photo feature 4 — 21 & 22

B&W 19 - 22, 23

color 24 - 28, 29, 30

760 & 759

photo feature 117, 89, 45

B&W 19 24, 25

Color 24 31, 32

Sent Betsy home at 2:30 with flu.

Unit	level	Bag #	Comment	Prov
2/18 760	1Y	550		S218 E229
2/18 759	1Y	551		S218 E230
2/18 721	1A	568		S219 E227
2/18 720	1A	569		S219 E228
2/19 720	1m	617		S219 E227
2/20 721	1m	618		S219 E228
2/20 Fea 89	PO1	639		
2/20 Fea 89	PO2	640		
2/20 718	1Y	648		S219 E230
2/20 719	1Y	649		S219 E229
2/20 761	2A	651		S218 E228
2/20 761	2A	652	SS	S218 E228
2/20 677	1Y	658		S220 E230
2/20 678	1Y	659		S220 E229
2/20 721	1N	673		S219 E228
2/21 720	1N	696		S219 E227
2/21 721	2A	697		S219 E228
2/22 Feat 56	PO3 East	701		
2/21 Feat 56	PO4	702		

35

Feb 20, 1985

Cool + clear

On drawings - orient North to top of page.

Completed mapping of 2 x 2 801/800 760/759

David removing level 1 of 764

Marion removing feature 89

Jim beginning removal 1/4 of 718, 719, 678, 677

Betsy home sick

Remainder of feature 99 was exposed in the west side of unit. A square corner of a feature is showing beneath the NW corner of feature 56

Feb 21, 1985

Cool + Clear - Happy Birthday

Jim E. - Chunking out unit 2x2

800, 807, 760, 759

DAVE working unit 721

Betsy cleaning level 1m in 720 +

cleaning feature 56

MARIAN cleaning feature 56

Unit 721 level 2A (Rodent burrow

feature ——— pw

unit 678 - 2A

feature 134 - post hole/mold.

NW quad of unit

see photo # pu 32

721 —

37

Dress up day

Feb 22, 1985

Cool + clear warming to 60°

cleaned site for inspection

removed straw + plastic

723	722	721	720			
682	681	680	679	678	677	
				950	949	~~948~~

unit 681 main S220E226 SE S220 E226

unit 682 main S220 E225

unit 722 main S219 E226

unit 723 main S219 E225

Balk on south side

previously opened Balk on North

unit 948 main S220 E230 S.S221 E 231

unit 949 main S220 E230 S221 E230

└ Chunk out

950 S220 E230 | S 221 E229

Betsy Cotinel removing feature 50

Marion mapping north profile of

678, 677, 719, 718

David removing fill from rodent burrow

in unit 721

Jim "Mad Maddox" Errante is

blasting out 723, 722, 682, 681

Unit	level	Bag #	Comment	prov
2/22 681	1Y	720		S220 E226
2/22 682	1Y	721		S220 E225
2/22 722	1Y	722		S219 E226
2/22 723	1Y	723		S219 E225
~~2/22 680~~	~~1A~~	~~724~~		~~S220 E227~~
2/22 F146	A02	727		
2/22 F146	A01	728		
2/25 949	1Y	755	85×85	S221 E230
2/25 680	1A	756		S220 E227
2/25 720	2A	724		S219 E228
2/25 948	1Y	767	85×85	S221 E231
2/25 680	1m	776		S220 E227
2/26 950	1Y	802		S221 E229
2/26 679	1A	803		S220 E228
2/26 679	1A	804	SS	S220 E228
2/26 680	1N	805		S220 E227
2/26 956	1Y	812		S221 E223
2/26 929	1Y	813		S222 E223
2/26 679	1m	820		S220 E228
2/26 679	1m	821	SS	S220 E228
2/27 679	1N	855		S220 E2
2/27 679	1N	856	SS	

39

Unit 721 - rodent burrow ended in
what appears to be a post hole.
Feature 146 post hole

Unit 719 - squarish dark stain
Feature 147

level IN
Unit 761 - possible post mold
with charcoal
Feature 148
level IN
Orange mottled squarish stain
with dark center / with brick
debris in center
Feature 149

Feature - Unit 720 - 2A
possible post mold in
West wall 174
Photos Unit 761 2A
feature 148
149
99
B+W
Color

2-25-85

Cool & overcast -

Jim continuing chunk out of 681, 682, 723, 722

Betsy - mapped features 148, 149

opening unit 680

Marian - clearing IN level of 720

will open 679

David opening 949 - chunk out

Unit 949 level 2A

feature 172 in NW corner

Squarish -

feature 173 round SW corner

possible post hole

Unit 761 level 2A

Feature 99 NW corner

Feature 148 SE corner

circular, charred

Feature 149 next to 148

circular -

	R	F
B&W	23	5
Color	30	35+36

Feature 175 trench line in units 680, 722

41

Units 681, 682
722, 723

BW 23 -13
Color 31 16, 17, 18

2-26-85 - rainy + overcast
Norman Lattice added to crew

One person from every crew for PR person
956 test pit
929

Hurry's pit
956 S.221 E223 balk on north
929 S 222 E223
pull from 928
main datum S222 E224

Unit 948 - 2A
Feature 182 Z
circular filled area - mottled

684	683	682	681
956	955		
929	928		

Feature 186 trench line
680, level 1N

Unit 950 14 feature 190 level 2A
dark stain in SW corner

Feb 27, 1985
Overcast + cool Clearing in P.M. but windy
(George Miller will be here March 31
Sat)
Features - to determine date, function, maps
Post holes - hole + mold (if present)
shape of mold - round or square
soil samples from hole + mold.
trenches -

Flower-bush-holes - will sample
Terrace fill - sample + profile
large trash features - halves or quads

Unit 929 - trench line 10 Continue
feature 192 - SE corner
linear

43

Jim + Norman completing mapping of 956 + 929 - with Hanzi test unit.

Marion, working on 679 - 1m probably encountering feature 186 at the top of the 1N - ill-defined at this stage. She has encountered the gley-clay.

Betsy finishing unit 680

David mapping unit 950

Began travelling of area as each finished to select features for excavation

My top 10

96 (97), 117, 4, 175, 186, 21, 22, 99, 134, 33

~~79~~, ~~16~~, ~~98~~, ~~36~~ ~~117~~.

north half + south half

1 soil sample - North half

Photo # ~~99~~ 98 1st thing

AM

~~17~~, 37/100, ~~174~~, ~~99~~

33, ~~23~~, 68

	Feature	Section	Bag #	Comment	Completed
2/27	98	Z01	846		✓
2/22	98	Z02	847		✓
2/27	98	Z01	848	SS.	✓
2/27	117	A09	849		✓
2/27	117	A09	850	SS	✓
2/27	79	Z01	851		✓
2/27	79	Z01	852	SS	✓
2/27	16	Z01	853		✓
2/27	16	Z01	854	SS	✓
2/28	36	Z02	871		✓
2/28	36	Z02	872	SS	✓
	~~79~~	~~Z02~~	~~873~~		✓
2/28	17	Z02	873		✓
2/28	17	Z02	875	SS	✓
2/28	99	A10	898		✓
2/28	99	A10	899	SS	✓
3/1	99	A02	900		✓
3/1	99	A02	901	SS	✓
2/28	117	A01	902		✓
2/28	117	A01	903	SS	✓
2/28	36	Z01	916		✓
2/28	17	Z01	922		✓
2/28	33	D11	923		✓
3/1	33	D11	924	SS	✓
3/1	23	Z02	929		✓
3/1	23	Z02	930	SS	✓

45

Feb 28, 1985

cold & clear

next week change of crew assignments

unit 24 S216 E227

unit 25 S216 E226

unit 26 S216 E225

unit 21 S216, E230

March 1, 1985

cold & clear

next Thursday - start cleaning

Monday - March 11 - back hoe

and - new crews

on feature 117 - '22' means the fill after brick rubble was mapped & removed. Fill is not different.

A-23 - east half of post mold

A-24 - west half of post mold

Prehistoric Crew

Betsy Grove
Dave Faut
Mark M.
~~Tim T~~
David J
Kathy J.

MARCH 4, 1985
Cold & Overcast

Feature 33 - ditch line beginning (south) in units 682 & 681 is underlain at the S 219 line by a large square hole - designated feature 208 post hole plus a planting hole in trench 33 feature 212

Rand - covered features with shelters.

Feature	Section	Bag #	Comment	Completed
3/1 16	A10	963		✓
3/1 16	A10	964	SS	✓
3/1 23	Z01	965		✓
3/1 117	A22	966		✓
3/1 68	Z02	969		✓
3/1 68	Z02	970	SS	✓
3/1 16	A02	971		✓
3/1 99	A09	999		✓
3/1 117	A02	1000		✓
3/4 175	Z02	1001		✓
3/4 175	Z02	1002	SS	✓
3/4 33	D12	1003		✓
3/4 33	D12	1004	SS	✓
3/1 99	A01	1007		✓
3/4 134	A10	1010		✓
3/4 134	A10	1011	SS	✓
3/4 134	A04	1018		✓
3/4 134	A02	1019		✓
3/4 134	A02	1020	SS	✓
3/5 208	A02	1025		✓
3/5 208	A02	1026	SS	✓
3/4 4	Z01	1033		✓
3/4 4	Z01	1034	SS	✓
3/4 212	C01	1035		✓
3/4 212	C01	1036	SS	✓

MARCH 5, 1985

WARM & CLEAR. Tuet Iron over night

RAINS. Removed shelter from feature

Will start cooking for lateness as of tomorrow.

Van will be leaving at 7:45

elevations

Feature	west side ground surface		bottom
23			
3-5-85 AM 17			
16			
33 D11			
99			
68			
175 (A02)			
	m		
3-5-85 AM 117	.422	Shell 65.5	95.9
4	50.5		65.0
208	62.5		88.8
186	47.2	bottom of [illegible]	50.5
134	37.5	75.5	96.3
208			
224			

Feature	Section	Bag #	Comment	Completed
3/5 117	A06	1037		✓
3/5 117	A08	1038		✓
3/5 134	A09	1045		✓
3/5 134	A01	1046		✓
3/5 175	Z01	1060		✓
3/5 117	A23	1061		✓
3/5 212	C02	1062		✓
3/5 4	Z02	1073		✓
3/5 208	A10	1078		✓
3/5 117	A24	1079		✓
3/5 117	A24	1080	SS.	✓
3/5 208	A10	1084	SS	✓
3/5 21	Z01	1088		✓
3/5 21	Z01	1089	SS	✓
3/6 208	A09	1103		✓
3/6 208	A01	1104		✓
3/6 175	D13	1109		✓
3/6 186	Z01	1110		✓
3/6 186	Z01	1111	SS.	✓
3/6 174	A04	1136		✓
3/6 174	A04	1137	SS	✓
3/6 174	A03	1138		✓
3/6 224	A03	1152		✓
3/6 224	A03	1153	SS	✓

51

March 6, 1985
cold + clear
we will be in charge of garbage

Feature 175 D13 is the
Area within unit 763

O started
Ø finished

To be completed
~~186~~, ~~20~~, ~~22~~, 27, ~~95~~, ~~96~~, ~~97~~, ~~224~~
172, ~~173~~, ~~37/100~~, 147, ~~48~~, ~~49~~, ~~50~~ (in S-ext.)
182, ~~228~~, ~~192~~ dotted (note in form 182

Feature in unit 723
intrusive into feature 208
post hole 224

Feature 225 is intrusive into
Feature 21 - dark stain irregular

unit 68 S 215 E 224
unit 27 S 216 E 224

Feature	Section	Bag #	Comment	Complete
3/6 95	C 06	1154		✓
3/6 95	C 06	1155	SS	✓
3/6 186	Z02	1180		✓
3/7 95	A05	1205		✓
3/7 175	D14	1237		✓
3/11 224	A26	1238		✓
3/7 149	B02	1254		✓
3/7 149	B02	1255	SS	✓
3/8 21	Z02	1261		✓
3/8 37	Z01	1262		✓
3/8 37	Z01	1263	SS	✓
3/8 175	D15	1264		✓
3/8 22	A01	1265		✓
3/8 22	A01	1266	SS	✓
3/8 95	A11	1287		✓
3/8 95	A04	1288		✓
3/11 96	A02	1319		✓
3/11 96	A02	1320	SS	✓
3/11 22	A02	1321		✓
3/11 224	A10	1339		✓
3/11 224	A 10	1340	SS	✓
3/11 224	A 09	1341		✓
3/11 225	Z07	1342		✓
3/11 225	Z07	1343	SS	✓
3/11 10	D20	1350		✓ (to maraca

53

3-7-85

Cold & clear

begin clearing operation tomorrow

area 4 - trenches J1

random 1x1 J2

10 x 10 block J3

David Singer replaced by Jeff Snyder - Marion Roberts replaced Jeff as crew chief leaving me one short.

Jim Errante on leave today & Friday

Feature 224 - A26 is the material excavated below the level of floor of 7208

Feature 175 - D14 is the one meter section in unit 804

D15 is the one meter long section in unit 805 - west half of D14

Feature 95 A11 = west half of mold

3-8-85

RAIN

Melanie Myer - not in yet

Errante on leave

moved shelters over area.

Betsy working a 37/100 22

55

need elevation ground | bottom

208 | 236
224 | 24
175 (D13) | 182 N
95
22
21
225
96
149 | bottom + bottom + post
147
172
37
100

MARCH 11, 1985
Cool + clear
Continue clearing today
Steven Potter - will be at Marshall Hall
20 & 21 of MARCH. - test Dis office/Kitchen

Feature intrusive into Feature 95
(SW corner) and into Feature 96
is 236 unit 764

Feature 100 Z36 is all the
dirt

33 D13 is section in unit 763

Feature	Section	Bag #	Comment	Completed
3/12 96	A09	1386		✓
3/12 225	Z02	1387		✓
3/12 236	Z01	1388		✓
3/12 236	Z01	1389	SS	✓
3/12 149	A10	1390		✓
3/12 149	A10	1391	SS	✓
3/12 149	A09	1392		✓
3/12 149	A01	1393		✓
3/12 37	Z02	1400		✓
3/12 96	A01	1401		✓
3/14 100	Z36	1422		✓
3/13 33	D13	1426		✓
3/12 172	Z02	1427		✓
3/12 172	Z02	1428	SS	
3/12 147	Z02	1429		✓
3/12 147	Z02	1430	SS	✓
3/13 147	Z01	1434		✓
3/13 182	Z04	1446		✓
3/13 182	Z04	1447	SS	✓
3/13 24	Z02	1467		✓
3/13 24	Z02	1468	SS	✓
3/13 24	Z01	1471		✓
3/13 182	A11	1475		✓
3/13 182	A11	1476	SS	✓
3/14 182	A03	1477		✓
3/14 182	A12	1487		✓

57

MARCH 12, 1985
Cool, RAINY + OVERCAST - very windy
Hack-hoe monitors: Lee Anne + Robin
brick deposit on terrace
possible kiln.
Karen McNatan' historian -
not much on site.

MARCH 13, 1985
Cool + Clear
Finishing features.
Betsy through with feature + assigned
to Breda at 11:00 Am.
if we change a number, be sure
and tell Dick as well as Jeff, Lab, et al
Feature Forms:
Unit lines on feature maps should
correspond to grid lines on paper
large features which won't fit
on standard graph paper - see Julie
for large paper to MAINTAIN
scale. - Keep scale consistent.

Feature Form Format

Indicate with an Arrow different provience numbers on the map.

If a provience is mentioned in text, they must be shown on map.

Large features should be drawn on one map. As well as features that intersect, touch

Make sure unit, provience numbers are on map

indicate profile line

Put key on map.

Feature 182 A11 is the east half of post mold

Feature 182 A12 is the area of a possible post mold below the clay in base of feature NW quad

Errante finished c. 3:30 p.m. returned to Brenda

59

3-14-85

Cool & overcast - clearing in late AM.

Taking over screens.

Norman finishing 182

David's (172) getting bigger than first thought. The fill has several definite lenses which will be removed separately in the north half.

Profile of Area 4 is very distinct - deep in the east trench. Buried 'A' is thick & covered by red clay fill to thick as 1 m. One deep pit on feature is visible in the east face profile. It could be historic since there is quite a bit of mixing with the sub-soil. However, the bottom turned up hammerstone in roughly that area. A series of regularly-spaced dips appears in the buried 'A' which could represent plow scars.

The western part of the terrace was evidently a knoll which was leveled & used to fill the eastern area.

A brick structure of some kind (possible foundation & brick floor) appears in the SW quad of the area.

Feature	Prov	BAGS	Comment	Completed
3/14 172	Z 11	1516	North half removed upper fill	✓
3/14 172	Z 11	1517	SS, "	✓
3/15 172	Z 12	1567	level two	✓
3/15 172	Z 12	1568	SS clay fill "	✓
3/15 172	Z 13	1582	level 3	✓
3/15 172	Z 13	1583	SS dark fill	✓
9/14 S-Trench		1595	Brick	
9/14 S-Trench		1596	coke bottle	
9/14 E Trench		1597	Hammerstone	
9/14 N-Trench		1598	Hammerstone Fire cracked	
172	Z 14	1610	level 4	✓
172	Z 14	1611	SS	✓
172	Z 15	1612	level 5	✓
172	Z 15	1613	SS	✓
172	Z 16	1614	general fill	✓

61

MARCH 15, 1985
DAVE MARCA + Chuck to Area 2
Area 4 - me
Well - Brenda
Area 5 - Esther
MARION - on big feature near well
Area 4 - buried A on east
and brick - away go to
sub areas

10:30 AM - ERRANTE cleaning
profiles in J1

March 18, 1985
off for dental app

March 19, 1985
Cool + clear
have 3 crew drafting throats
clean off all plastic from
excavated area

MARCH 20, 1985
Cool + clear - spring is here!
Crew Chiefs at end of day - give
Jeff a list of units (features)
in progress and/or completed.
use survey flags to flag
features SAT
MARCH 30th 9:00 Am. (3hr)
George Miller will have
seminar at lab - copies of
Ceramics' articles in trailer.

63

March 21, 1985
Cold & Clear
Tim Foard out sick
Talked to prehistoric crew to orientate to site area
Lee Ann late -
Crew cleaning profiles

Area 4 -
Brick wall & foundation in back hoe trench 3 Southern end.
Feature 4000

Helped finish lay out grid in Area-4

March 22, 1985
RAIN - went to lab in P.M.

65

March 25

drizzle & overcast

Strata : Area 4

Topsoil - 1

leached topsoil - 2

→ Anyfill - 3 (A

Buried 'A' - 4

Buried A - leached - 5

Subsoil - 6

Subsoil fill - gravel rich
some cultural material - 3P

Prehistoric - Area A

South west area - AREA B
(feature 4000 et al)

cleaning back dirt & remaining profiles

clearing surface debris from sub area 4-B

Previous test units (6) exposed

2 - S221 E 180

3 - S221 E 186

1 - S218 E 191

5 - S226 E 179

4 - S225 E 191 (off grid)

unit	level	BAG #	Comment	Coordinates
3/26 4114	1A	1880		S 240 E 181
3/26 4114	1A	1881	SS	S 240 E 181
3/26 4144	1A	1887		S239 E 182
3/26 4144	1A	1888	SS	S 239 E 182
3/26 4112	1A	1889		S240 E 183
3/26 4112	1A	1890	SS	S 240 E 183
3/26 4119	1A	1898		S240 E 176
3/26 4119	1A	1899	SS	S240 E 176
3/26 4144	3M	1900		S239 E 182
3/26 4144	3M	1901	SS	
3/27 4115	1A	1912		S 240 E 180
3/27 4115	1A	1913	SS	S240 E 180
3/27 4145	1A	1914		S239 E 181
3/27 4150	1A	1915		S239 E 176
3/28 4113	1A	1916		S240 E 182
3/28 4113	1A	1917	SS	S240 E 182
3/27 4173	1A	1928		S238 E 184
3/27 4173	1A	1929	SS	S238 E 184
3/27 4146	1A	1932		S239 E 180
3/27 4116	1A	1941		S240 E 179
3/28 4175	1A	1965		S 238 E 182
3/28 4175	1A	1966	SS	S 238 E 182
3/28 4111	1A	1967		S240 E 184
3/28 4111	1A	1968	SS	S240 E 184
3/28 4117	1A	1969		S240 E 178
3/28 4117	1A	1970	SS	S240 E 178

Unit Coordinates – Area 4

Unit	SE. Corner		Main	
4109				
4110				
4111	S240	E184	S240	E184
4112	S240	E183	S240	E184
4113	S240	E182	S240	E182
4114	S240	E181	S240	E182
4115	S240	E180	S240	E180
4116	S240	E179	S240	E180
4117	S240	E178	S240	E178
4118				
4119	S240	E176	S240	E178
4120				
4121				
4122				
4143				
4144	S239	E182	S240	E182
4145	S239	E181	S240	E180
4146	S239	E180	S240	E180
4147	S239	E179	S240	E180
4148	S239	E178	S240	E178
4149				
4150	S239	E176	S240	E178
4151	S239	E175		
4152				

March 26, 1985
Cool + clear
Sutter's Tavern - testing
Joe Joseph from Atlanta
Eric Johnson resigned to go to
Wyoming.

Betsy + Kathy profiling feature in
Trench 4
Mark profiling + plan view feature 4000
David F. opening unit 4114

Brick wall/foundation in trench 4 S+N faces
is feature
4001

Brick drain(?) intersecting feature
4000 (running E+W is
feature 4002

69

March 27, 1985

Cool (warming) & clear

Betsy is sick.

Rosanna will work for me today

March 28, 1985

Warm & clear

water screening commence today

Maria taking photos today for Dick

clean rain suits at end of day

Tim Foard back for 2 days

10:00 - David Tant to build floatation

Unit	Level	BA+	Comment	Coordinates
3/29 4085	1A	1978		S241 E179
3/29 4085	1A	1979	SS	S241 E179
3/29 4147	1A	1989		S239 E179
3/29 4148	1A	1990		S239 E178
3/29 4174	1A	2004		S238 E183
3/29 4086	1A	2021		S241 E178
3/29 4116	3m	2024		S240 E179
3/29 4083	1A	2042		S241 E181
~~4081~~	~~1A~~	~~2043~~		~~S241 E183~~
3/29 4172	1A	2044		S238 E185
4/1 4176	1A	2045		S238 E181
3/29 4084	1A	2046		S241 E180
3/29 4151	1A	2051		S239 E175
3/29 4116	3N	2052		S240 E179

71 Unit	Area 4 SE Corner			MAIN Datum	
4169					
4170					
4171					
4172	S238	E185		S240	E186
4173	S238	E184		S240	E184
4174	S238	E183		S238	E182
4175	S238	E182		S238	E182
4176	S238	E181			
4177	S238	E180			
4178	S238	E179			
4179	S238	E178			
4180					
4181					
4182					
4183					
4184					
4077					
4078					
4079					
4080					
4081	S241	E183		S240	E182
4082					
4083					
4084	S241	E180			
4085	S241	E179			
4086	S241	E178		S242	E179
4087					

March 29, 1985

Overcast & warm

Water screen procedures

1. close pump down & cover with plastic at night

Feature 4003 is in unit 4086 (& probably 4085 & 4055)

exposed in east face of trench 3 probable pit. profile exposes fill of brown, orange, red, yellow soils

S231

4448

AREA 4B
Fill descriptions

3M This is a gravel-sized quartzite cobble-rich fill immediately underlying the topsoil - esp. in the areas of the drainaduct features (4000, 4001, 4002). It is usually thin - c. 5-8cm. The soil matrix is the same color as the topsoil, and in places where the 3M level is very thin, it was frequently removed with the topsoil.

3N This is a lens of fill similar in color to 3R. But has a very sandy texture - large subangular soil particles. Lens appears to be localized in unit 4116

3P - This is the subsoil fill which is full of the cobbles. It is dark orange (or ol' Munsell's strong brown) It appears in profile to be reasonably culturally sterile. It is exposed in trench I - north half & appears to have been used to build up the terrace. It directly overlays the buried 'A' horizon in trenches 1 & 5

→ 3R is the brick rubble fill, apparently associated with features 4000, 4001, 4002. Matrix is clay / subsoil. Few gravel/cobbles are intermixed with the bricks.

This fill is being removed in 10 cm levels.

→ ~~3U Will be used for this fill episode in areas where the rubble is thicker than 10 cm~~

3S Brick rubble fill from feature 4001. Level was removed to surface of subsoil on

3V to surface of laid bricks

3T – subsoil/clay fill over drain feature 4014 & under brick rubble. This blows the theory that the rubble acted as a collection basin for the drain.

Unit	level	Bag	Cannot grow.
4/1 4416	1Y	2078	S230 E189
4/1 4385	1Y	2079	S231 E189
4/1 4448	1Y	2080	S229 E183
4/1 4445	1Y	2081	S229 E191
4/1 4413	1Y	2082	S230 E192
4/1 4411	1Y	2083	S230 E194
4/1 4447	1Y	2095	S229 E189
4/1 4414	1Y	2096	S230 E191
4/2 4476	1Y	2114	S228 E191
4/2 4447	4A	2115	
4/2 4416	4A	2116	S230 - E189
4/2 4414	4A	2122	S230 E191
4/2 4413	4A	2123	S230 E192
4/2 4448	4A	2125	S229 E189
4/2 4447	4B	2143	
4/2 4448	4B	2144	
4/2 4413	4B	2145	
4/2 4414	4B	2146	
4/2 4411	4A	2147	
4/2 4413	4B	2148	S.S.
4/2 4385	4A	2155	S231 E189
4/2 4416	4B	2175	
4/2 4385	4B	2176	
4/2 4448	5A	2177	
4/3 4447	5A	2178	

77

4-1-85

cleaning & warm

David Jones unit 10:00 - sick leave
3:00 - left

MARIAN taking over north edge of
trench 4 & features 4000, 40001

Betsy will be off Friday

Began 1

Feature	level 4A	Feature
4004	4	4445
4005		4413
4006		4416

possible on post holes
Robbed brick piers

delete

April 2, 1985
clear + cool
continued work on Area 4A
began removal of top 3 C of 'buried A'
Crew meeting at 12:30 to
discuss time & money saving idea

April 3, 1985
cold & overcast
weekly meeting tour every
Wednesday at 4:30
continued removal of units in
4A. Found some prehistoric
materials in the waterscreen. Soil
flakes, one potsherd. No features
or in situ deposits

April 4, 1985
Beautiful
Mark Mikeson out sick
Chain-saw + clearing crew
Betsy Grove to pick up supplies
Romans working for me
Opening units near trench 1
blasting out to the buried 'A'

April 5, 1985
Feature in 4407 + 4408
in 4A probable tree root
Feature 4006

Feature in 4411
amorphous strain - possible tree
root
Feature 4007

unit	level	Bay #	Cement	Coordinate
4/3 4445	4A	2185		S229 E191
4/3 4380	1Y	2186		S231 E194
4/3 4414	5A	2187		S230 E191
4/3 4413	5A	2188		S230 E192
4/3 4413	5A	2192	SS	S230 E192
4/3 4448	5B	2193		S229 E188
4/3 4447	5B	2194		S229 E189
4/3 4476	4A	2196		S228 E191
4/3 4412	1Y	2197		S230 E193
4/3 4416	5A	2198		S230 E189
4/3 4385	5A	2199		S231 E189
4/3 4414	5B	2200		S230 E191
4/3 4413	5B	2201		S230 E192
4/3 4413	5B	2202	SS	S230 E192
4/3 4445	4B	2218		S229 E191
4/3 4476	4B	2219		S228 E191
4/4 4404	1Y	2222		S230 E20[illegible]
4/4 4405	1Y	2223		S230 E200
4/4 4436	1Y	2224		S229 E200
4/4 4437	1Y	2225		S229 E199
4/4 4406	1Y	2226		S230 E199
4/4 4407	1Y	2227		S230 E198
4/4 4408	1Y	2228		S230 E197
~~4409~~	~~1Y~~	~~2229~~		~~S230 E196~~

Betsy off today
David leaving at noon
Kathy Callow went to the lab sick.
I picked up Romans again
Mark back

April 8, 1985
cold + clear - intermittent overcast
Betsy to lab
David + David completing Area 4A
Kathy + Mark back in 4B

feature in unit 4/51 a dark
stain possibly connecting features
4000 + 4002 in feature 4008

Unit	Level	Box	Comment	Coordinates
4/4 4445	5A	2232		S229E191
4/4 4476	5A	2233		S228E191
4/4 4445	5B	2229		
4/4 4476	5B	2243		
4/4 4404	4A	2244		S230E201
4/4 4405	4A	2245		S230E200
4/4 4406	4A	2246		S230E199
4/4 4407	4A	2247		S230E198
4/4 4408	4A	2248		S230E197
4/4 4436	4A	2249		S229E200
4/4 4437	4A	2250		S229E199
4/4 4435	1A	2251		S229E201
4/4 4435	4A	2252		
4/5 4438	1A	2257		S229E198
4/5 4438	4A	2258		
4/5 4405	4A	2259	SS	
4/5 4407	4A	2260	SS	
4/5 4416	5B	2281	SS	
4/5 4385	5B	2282		
4/13 4081	1A	2043		S241E183
F/10 4007	Z03	2310	✓	
4/13 4172	3m	2339		S238E185
4/13 4082	1A	2340		S241E182
4/13 4120	1A	2345		S240E175

83

April 9, 1985

Cold + overcast

Kathy Callum out sick

I got my butt chewed big time and for the record - we have not farted around on the hill for 3 weeks, we opened the first unit there on 3/26 (2 weeks) + have completed 20 units in 4A, 9 units in 4B and have 24 units open! So we've only 'farted around' for 2 weeks

April 10, 1985

Cold & clears

Kathy Callum still sick - gone to lab

Howard Markell is subbing for her from the lab

working on removal of '3M' fill over feature 4001

3:00 Melanie Myer + Joel Jones began working on AEA 4

unit	level	Bag	Case	Condition
4/9 4080	1A	2353		S241E184
4/9 4173	3m	2354		S238E184
4/9 4174	3m	2355		S238E183
4/9 4175	3m	2356		S238E182
~~4144~~	~~3m~~	~~2357~~		~~S239E182~~
4/9 4182	1A	2358		S238E175
4/9 4181	1A	2362		S238E176
4/9 4113	3m	2375		S240E182
4/9 4112	3m	2376		S240E183
4/9 4116	3R	2398		S240E179
4/10 4111	3m	2450		S240E184
4/10 4111	3m	2451	SS	
4/10 4175	3m	2452	SS	
4/10 4203	3m	2453		S237E185
4/10 4204	3m	2454		S237E184
4/10 4176	3M	2455		S238E181
4/10 4145	3m	2459		S239E181
4/10 4115	3R	2411		S240E180
4/10 4115	3R	2412	SS	S240E180
4/10 4080	3M	2357		S241E184
4/10 4205	3m	2414		S237E183
4/10 4353	1A 4C	2415		S232E190
4/10 4354	1A 4C	2416		S232E189
4/11 4291	1A 4C	2417		S234E190
4/11 4292	1A 4C	2418		S234E189

85

April 17, 1985

Cool + clear

Flotation begins today

SHA & FHWA will visit site at 2:15

Silas, etc. at 12:15

Zip a unit is a partial unit

work on forms

Miami project was funded for testing.

Feature 4009

in unit 4353 + (4354) level 1A

a brick line - possible

Unit	Level.	Bag	Comment	Coordinates
4/ 4146	3m	2419		S239 E180
4/ 4114	3R	2428		S240 E181
4/ 4207	3m	2430		S237 E181
4/ 4206	3m	2431		S237 E182
4/ 4177	1A	2432		S238 E180
4/ 4082	3m	2433		S241 E182
4/ 4081	3m	2434		S241 E183
4/ 4147	3m	2439		S239 E179
4/ 4177	1A	2440	SS	S238 E180
4/ 4322	1A 4c	2441		S233 E190
4/ 4323	1A 4c	2442		S233 E189
4/ 4084	3m	2443		S241 E180
4/ 4291	1A 4c	2444	SS	S234 E190
4/ 4113	3R	2448		S240 E182
4/ 4172	3R	2449		S238 E185
4/ 4083	3m	2461		S241 E181
4/ 4291	3m 4c	2463		
4/ 4291	3m 4c	2464	SS	
4/ 4292	3m 4c	2465		
4/ 4177	3m	2466		
4/ 4177	3m	2467	SS	
4/ 4147	3R	2468		
4/ 4113	3R	2469	SS	
4/ 4112	3R	2470		
4/ 4085	3R	2471		S241 E179

April 12, 1985
warm & clear

11:13 Am - Mark Mikeson said he was ready for week in the lab.

Area 4C
3M - 10 cm level of mottled fill - subsoil, level 5 some level 4 mixed, few brick fragments - no artifacts
3N - 10 cm level of mottled fill ~~[illegible]~~ 3m in units 4322 & 4323. units to south - did not contain this level.
5A - natural level - removal of 'B' horizon (leach zone buried 'A' horizon)
3R - Brick rubble including upper level material from feature 4009 (10 cm level)
5B - level below 5A - possible fill - over cobble feature or god-known - what

unit	level	bag #	comment	coordinate
4/14083	3R	2472		S241 E181
4/14173	3R	2473		
4/14322	3m	2474	4C	
4/14323	3m	2475	4C	
4/14355	1A	2476	4C	S232 E188
4/14355	1A	2477	4C/SS	S232 E188
4/14112	3R	2484	SS	
4/14176	3R	2488		S238 E181
4/14291	5A	2490	4C	
4/14291	5A	2491	4C/SS	S234 E190
4/14292	5A	2492	4C	S234 E189
4/14322	3N	2493	4C	S233 E190
4/14323	3N	2494	4C	S233 E189
4/14111	3R	2497		S240 E184
4/14111	3R	2498	SS	
4/14146	3R	2503		
4/14174	3R	2504		
4/14207	3R	2505		
4/14082	3R	2506		
4/14323	5A	2514	4C	
4/14353	3R	2515	4C	
4/14354	3R	2516	4C	
4/14111	3S	2517		
4/14111	3S	2518	SS	
4/14353	3R	2519	4C SS	

89

Unit Progress/To do Monday

4/2 ~~4323 SA/ map & photo~~ OK
~~Kathy - photo & map~~ OK.

4-15-85
cool & overcast
Kathy Cullen in lab this week
→ Fault out sick today
Romana working for me
Chuck opening units over
feature in East face of trench
one

Feature in unit 4113 level 35
which probably connects with
feature 4001 is feature 4013

Unit	level	Bag	Comment	Coordinate
4/12 4145	3R	2520		S239 E181
4/12 4175	3R	2527		S238 E182
4/12 4084	3R	2528		S241 E180
4/12 4208	1A	2529		S237 E180
4/12 4175	3R	2530	SS	
4/15 4112	3S	2547		S240 E183
4/15 4208	3m	2548		S237 E180
4/15 4322	5B	2565	4C	S233 E190
4/15 4323	5B	2566	4C	S233 E189
4/15 4206	3R	2567		S237 E182
4/15 4208	3R	2568		S237 E180
4/15 4113	3S	2569		S240 E182
4/15 4113	3S	2570	SS	
4/16 4081	3R	2593		S241 E183
4/16 4203	3R	2594		S237 E185
4/16 4144	3S	2605		S239 E182
4/16 4114	3S	2606		S240 E181
4/16 4146	3S	2617		S239 E180
4/16 4110	1A	2650		S240 E185
4/16 4115	3S	2651		S240 E180
4/16 4115	3S	2652	SS	
4/16 4205	3R	2655		
4/16 4204	3R	2656		
4/16 4147	3S	2650		S239 E179
4/16 4116	3S	2669		S240 E179

91

4-16-85

warm & clear

START Closing site AT 4.°15

Jim Mueller from NPS here in Am.

Opening test units in eastern quad (bounded by trenches) & south of trench 4

Rachel, Tom Doyle, Steve F.

4-17-85

warm & clear

Fant back today

Feature 4014 is brick trench exposed in unit 4145 -35

Brick feature in unit 4082 -35 is feature 4015

4/17 4282	1A	2673	4F	S234 E199
4/17 4281	1A	2674	4F SS	
4/17 4312	1A	2675	4F	S233 F200
4/17 4145	3S	2691		
4/17 4084	3S	2692		S241 E180
4/17 4082	3S	2693		
→ 4144	3S	2700		
4/17 4282	2A	2700	4F	
4/17 4080	3R	2702		S241 E184
4/17 4177	3S	2703		S230 E180
4/17 4177	3S	2704	SS	
4/17 4175	3S	2700		S238 E182
4/17 4175	3S	2718	SS	
4/17 4083	3S	2719		S241 E181
4/17 4080	3S	2720		
4/17 4081	3S	2729		S241 E183
4/18 4203	3S	2768		
4/18 4172	3S	2769		
4/18 4176	3S	2770		
4/19 4176	3T	2815		
4/19 4176	3T	2816	SS	
4/22 4207	3S	2841		
	*	~~3151~~		

~~Chang #~~ Called Cass 5/2/85

Area 4F - stratum

1A - Top Soil

2A - possible soil in place -
leach zone of top-soil

K-drains | K4B | 94

Feature	Section	Bay	Comment	Completed
4/18 4002	C04	2761	1m section in 4148	✓
4/18 4002	C05	2762	1m sect. in 4146	✓
4/18 4013	M02	2763	4113	✓
4/18 4005	E01	2764	South half	✓
4/18 4002	C06	2765	SS	✓
4/18 4013	M02	2766	SS	✓
4/18 4005	E01	2767	SS	✓
4/18 4001	A02	2784	unit 4111	✓
4/18 4001	A02	2785	SS	✓
4/18 4013	M01	2786	unit 4082	✓
4/19 4002	C05	2787	unit 4147	✓
4/19 4015	P02	2806	unit 4083 (Apparent post hole)	✓
4/22 4001	A01	2842	unit 4112	✓
~~4005~~	~~E02~~	~~2843~~	~~north half~~	✓
4/22 4015	P03	2844	unit 4083	✓
4/22 4015	P03	2845	SS	✓
4/22 4000	B06	2846	unit 4117	✓
4/22 4000	B06	2847	SS	✓
4/22 4000	B04	2848	unit 4119	✓
4/22 4000	B07	2864	4116	✓
4/23 4015	P04	2865	4115	✓
4/23 K4F4001	A15	2866	unit 4096	✓
4/23 K4F4001	A15	2886	SS	✓
4/23 4000	B02	2892	unit 4150	✓
4/23 4014	N01	2893	4146	✓
4/23 4000	B01	2898	4182	✓

95

Brown bucket holds 22 Kg. of brick

April 18, 1985
warm & clear
will treat the drain features
as a 'K' feature.
→ 4291 & 4292 in
4080

4080 & 4081
called circular feature in
area K4B4005

April 19, 1985
warm & clear

For monday - dirt in wheelbarrow
is Mark's make a bag

K- features

K4B4000 - formerly feature 4000
K4B4001 - formerly feature 4001
K4B4002 - formerly feature 4002
K4B4013 - 4113-3S
K4B4014 - 4145-3S (David J)
K4B4015 - 4082-3S brick feature
K4B4005 - units 4080 & 4081
Chuck's drain K4F4001 in 4096-3N
K4B4018 - circular feature in 4176-3T
4008 - drain in 4182

K4B4013

Began excavation of 4013 in M02 (unit 4113). feature was trench line running N-S. it bisects feature of 4014 in unit 4175. The M01 section runs up to feature 4015 but does not interrupt it. The trench is brick rubble fill containing few artifacts - a clay pipe bowl & probable 19th C pressed glass

K4B4015 - Brick drain

P01 - brick drain exposed in unit 4082

P02 - a brick mottled area which developed into a probable post hole

P03 is the rest of the section in unit 4083. There is very clear clay subsoil capping drains 4015 & 4014. the drain cannot be defined for the profile

Photo log

Feat.	Seat.	Roll B&W	Frame	Color	Frame
4013	M02	53	13	91	4,5
4002	C04	53	14	91	6,7
4013	M01	53	22	91	22,23
4015	P01				
4002	C06	53	32	92	10,11
4002	C05	54	11	93	1
4015	P02	54	28	93	31,32
4005	E02	54	29	93	33,34
4014+	unit 4126	54	27	93	29,30
→ K4B4018	level 3T				
K4B4015 (P03 & P04)		55	22	95	33,34
4014	N02	55	35	96	25,26
4001	A03	56	8	97	5,6
4000	B08	56	9	97	7,8
4015	P05	56	11	97	12,13
4000	B06	56	10	97	9,10,11
4002	C07	56	18,19	97	29,30
4000	B09				
over all view of 4B					
west half		56	20,21	97	31-36
east half		56	22,23	98	1-6

4-22-85

WARM

time sheets - keep in 15 min increments

David Jones 15 min late

only looking at the part half of feature 4005 - a post hole

do not excavate 4013 (m03, m04, m05)
do not excavate 4018
do not complete units 4206, 4205
4174, per orders
do not define mottle fill area
units 4203 + 4172
as of 4-22-85 - do not complete this area except to expose the drains & sample one section of each. The probable post hole in unit 4205 and whatever features 4203 + 4208 are, are just gone with the wind. Some plough on in pursuit of area with more 'goodies' to show the Dept of Tourism.

Absolute elevation (2.374 m above Elevation S200E200) → 1.47 H.I. Subtracted S240E190 by Julie

100

✓4B4001 A02	E surface -0.418	W surface -0.477
✓4B4001 A01	-0.558	W 2nd course
4B4005 E01	W surface -0.414	bottom -0.915
✓4B4013 M02	W surface -0.408	bottom -0.56
✓4B4013 M01	E surface (WA1) -0.418	bottom -0.521
✓4B4015 P01	surface -0.409	
✓4B4015 P02	W surface -0.391	bottom -0.565
✓4B4015 P03	E surface -0.445	W surface -0.48
✓4B4014 N02	E surface -0.468	W surface -0.473
✓4B4014 N04	E surface -0.425	
4B4018	surface -0.449	
✓4B4002 C06	E surface -0.608	
✓4B4002 C05	E " -0.6	
✓4B4002 C04	E surf -0.608	W surface -0.58
✓4B4002 C02	E surface -0.614	
✓4B4002 C01	E -0.682	W surface -0.7
✓4B4000 B07	on 3rd brick at square course of brick	W surface -0.503
✓4B4000 B06		W surface -0.442
✓4B4000 B04	Brick - lower C.D course	W surface -0.73
✓K4F4001 A15		W surface -0.051
✓K4F4001 A16		E surface -0.023

Brick in south face trench 4 - Top -0.332

Bottom 1.963 -0.492

(Datum S240E178)

April 23, 1985

warm & clear

begin digging in 2x2 area
unit in area 6

Betsy to go get bridal veil
we went to unit site today
we have lost (crew 6) 3
clipboards since Friday
evening. The security guards
have stolen them & gone

Howard is cleaning the section
of 4001 in unit 4111 - exterior.
The drain is damp & not
silted in. Looks like it is
still working!

K-drains 4B

102

Feature	Sect	Bag	Complete	Comment
4/23 4014	N02	2901		interior unit 4115 ✓
4/23 4014	N02	2902		SS ✓
4/23 4001	A03	2903		interior unit 4111 ✓
4/23 4001	A03	2904		SS ✓
4/23 4015	P05	2905		interior (P03) unit 4083 ✓
4/23 4015	P05	2906		SS ✓
4/24 4002	C07	2907		interior (C07) unit 4148 ✓
4/24 4002	C07	2908		SS ✓
4/23 4000	B08	2909		interior (B07) drain unit 4116 ✓
4/23 4000	B08	2910		SS ✓
4/24 4000	B09	2920		interior unit 4117 square ✓
4/24 4000	B09	2921		SS ✓

April 24, 1985
Cool + overcast
David Fant to Cellar at 10:00 Am
(2 hr J3 6 hr D3)

April 25, 1985
Cool + clear
move to 6A
unit 6014 S 184 E 314
Also S/86 E 310 unit 6026
David Jones - clock 15 min for lateness

Elevations K4B All interior

K4B4001 A15	(interior) E.	-0.181	
K4B4001 A03	E	-0.565	W -0.588
K4B4014 N02	E	-0.587	W -0.605
K4B4015 P05	E	-0.565	W -0.584
K4B4002 C07	E	-0.71	W -0.724
K4B4000 B08	E	-0.659	W -0.685

HI 1.505 5240 E190

All interior of drains on bottom (either brick lining or clay if no bottom consist of brick

4001 A15 & 4002 C07 both contained cobble/gravel in bottom of drain

105

all - 2x2
strata 1A - topsoil
2A - interface
2B - subsoil

Area 6A 2X2 /06

unit	level	Bag	comment	coordinate
4/25 6014	1A	2932		S184 E314
4/25 6014	1A	2933	SS	
4/25 6041	1A	2944		S188 E312
4/25 6041	1A	2945	SS	
4/25 6041	2A	2952		S188 E312
4/25 6041	2A	2953	SS	
4/25 6014	2A	2960		S184 E314
4/25 6014	2A	2961	SS	S184 E314
4/26 6041	2B	2971		S188 E312
4/26 6041	2B	2972	SS	
4/26 6014	2B	2987		S184 E314
4/26 6014	2B	2988	SS	
5/6 6041	2C	3275		
5/6 6041	2C	3276	SS	S188 E312
5/7 6096	1A	3323		
5/7 6096	1A	3324	SS	S196 E310
5/8 K6A 6001	A58	3344		S204 E291
5/8 K6A 6001	A58	3345	SS	
5/8 6096	2A	3362		S196 E310
5/8 6096	2A	3363	SS	
5/8 K6A 6001	B58	3364		S204 E291
5/8 K6A 6001	B58	3365	SS	
5/8 K6A 6001	C58	3392		S204 E291
5/8 K6A 6001	C58	3393	SS	

1 22 unit	Area	6A - coordinates		
6014		S184	E314	
6026		S186	E310	
6041		S188	E312	

April 26, 1985
warm & clear
Kathy Callum, David Fant, Betsy S.
Mark Mikeson's last day at Oxon Hill

April 29, 1985
gone to dentist
Betsy MFIC

April 30, 1985
warm & clear
Kathy ~~15~~ 45 min late to go to bank
David 30 min late at lunch

May 1, 1985
warm & clear
new Heidi - screens Guilfoyle
Anne - flotation - Davis

May 2, 1985
Becky & Screen
Kathy to Marian } Swap
Cool & overcast
David Frost got hit in head with
log @ 8:30 - went to Dr. 9:30

May 3
Heidi & Anne out
Betsy left at noon
raining in AM - clearing by noon

May 6, 1985
Cool & clear - warming to
overall photos - real clean
area 6A - clearing cellar
I worked on feature map

May 7, 1985
Overcast & warm
Finally finished area 4B map & feature
forms.
Opened unit 6096
Completed 6014 & 6041
Kathy C. went home sick at noon
Betsy went to Dr. & got poison ivy
shot.

May 8, 1985
Warm & clear
wash every 3 or 4 hours to
avoid poison ivy
David Fant & Kathy Callum
on water jug duty
Kathy Callum opened 1X1 unit
in 'new' cellar on wall slope
(or hopefully the wall slope)

May 9, 1985
clear -

Spray for poison ivy Friday
Betsy to pick up boxes for
bottles

May 10, 1985 - clear warm
Betsy Coker Added to crew

TP-7 - 30-35 cm deep
STP S196.5 E310
S194, E310
S191.5 E310

Probable Trench in unit 6096
level 2B (N-S) clear in
TP 7 (Hurry 84)
6006

AREA 6A

unit	level	BAz	Comment	Coordinate
5/10 6096	2B	3406		S196 E310
5/10 6096	2B	3407	SS	
5/14 K6A6001	D58	3433		S204 E291
5/14 K6A6001	D58	3434	SS	
5/10 6081	1A	3455		S194 E308
5/10 6081	1A	3456	SS	
5/10 6585	1A	3461		S195 E311
5/10 6585	1A	3462	SS.	
5/13 6644	1A	3463		S197 E310
5/13 6644	1A	3464	SS	
5/10 6585	2A	3481		S195 E311
5/10 6585	2A	3482	SS	
5/13 6081	2A	3483		S194 E308
5/13 6081	2A	3484	SS	
5/13 K6A6001	E58	3485		S204 E291
5/13 K6A6001	E58	3486	SS	
5/13 6644	2A	3519		S197 E310
5/13 6644	2A	3520	SS	
5/13 6081	2B	3521		S194 E308
5/13 6081	2B	3522	SS	
5/13 6585	2B	3524		S195 E311
5/13 6585	2B	3525	SS	
5/14 K6A6001	F58	3538		S204 E291
5/14 K6A6001	F58	3539	SS	
5/14 6644	2B	3540		S197 E310
5/14 6644	2B	3541	SS	

May 13, 1985
clear + warm
Betsy to get Bridal veil
exchanged Betsy Coker to
Marion for Becky Ramon to get
Becky out of the heavy pressing.

May 14, 1985
warm + clear

May 15, 1985
Cool + overcast

	Unit	level	BAg	SS	Coordinates
5/	K6A6001	G58	3553		S204 E291
5/	K6A6001	G58	3554	SS	
5/14	6109	1A	3555		S198 E308
5/14	6109	1A	3556	SS	
5/15	6097	1Y	3600		S196 E312
5/16	6081	2C	3633		S194 E308
5/16	6081	2C	3634	SS	
5/16	6121	1A	3635		S200 E304
5/16	6121	1A	3636	SS	
5/16	K6A6001	A68	3637		
5/16	K6A6001	A68	3638	SS	
5/16	6109	2A	3659		S198 E308
5/20	6109	2A	3660	SS	
5/20	K6A6001	F68	3697		
5/20	K6A6001	F68	3698	SS.	
5/21	K6A6001	G68	3717		
5/21	K6A6001	G68	3718	SS.	
5/21	K6A6001	Z68	3725		
5/21	K6A6001	Z68	3726	SS	
5/21	6121	2A	3740		
5/21	6121	2A	3741	SS	
5/21	F6A6009	GA02	3742		
5/21	F6A6009	GA02	3743	SS	
5/21	K6A6001	A48	3769		
5/21	K6A6001	A48	3770	SS	

115

MAY 16, 1985
drizzling + overcast
rain off + on - production very low

May 17
RAIN - to lab

May 20
Clear + warm
Feature forms - when feature is found
Stephanie Crockett on crew
(wait report until Tuesday)
Betsy left at noon sick. She
is clear covered with poison ivy.
Cut my hand on glass in the
cellars went for tetanus
shot.

May 21
Clear + warm
Crockett reported for work.
she is showing today

Feature 6009
dark ~~brown~~ squarish stain in 6109
level 2A

MAY 22, 1985
Clear
rained overnight - units full
Becky on screen in AM
Stephanie gaming 2x2

* Feature in Unit 6121 level 2A
is a yellow-clay square stain
in NE corner
Feature is 6010

Put unit 6081 on hold due to
poor condition of the unit.

MAY 23
Rained
boxed soil sampler - Betsy 1 hr 3 hr here 5 hr
crew to lab

117

May 24
rainy - overcast
mileage on van - please!
Becky opening 6137
Davidson screens
6081 still too wet to finish
all units pretty mucky

May 28, 1985
Clear & warm

done Feature 6011
unit 6125 level 1A
TP3 large dark amorphous stain

done Feature 6012
unit 6132 level 2A
South half of post hole

[illegible]

Unit	level	BA ft	SS	Coordinates
5/22 6125	1A	3771		S200E312
5/22 6125	1A	3772	SS	
5/22 F6A 6009	C01	3783		✓
5/22 6121	2B	3789		S200 E304
5/13 F6A 6010	Z08	3790		
5/13 F6A 6010	Z08	3791	SS	
5/24 6137	1A	3796		S202 E308
5/24 6137	1A	3797	SS	
5/28 K6A 6001	B48	3808		
5/28 K6A 6001	B48	3809	SS	
5/28 6132	1Y	3810		S202E298
5/30 F6A 6011	Z02	3839		✓
5/30 F6A 6011	Z02	3840	SS	✓
5/28 F6A 6012	A02	3852		
5/28 F6A 6012	A02	3853	SS	
5/28 6137	2A	3856		S202 E306
5/28 6137	2A	3857	SS	
5/28 F6A 6011	Z01	3871		✓
5/29 6134	1Y	3885		S202 E302
5/29 K6A 6001	F48	3886		
5/29 K6A 6001	F48	3887	SS	
5/30 [illegible]	1Y	3909		S198 E310
5/30 6136	1Y	3914		S202 E306
5/30 6095	1Y	3958		S198 E308
5/31 K6A 6001	G48	3975		
5/31 K6A 6001	G48	3976	SS	

119

May 29, 1985

Overcast & Cool

DOT at 9:30

Stephanie on Screens in A.M

Betsy late to pick up medicine

then Chunking unit 6134

David removing north half of

post hole exposed in Silo testing

Unit

6137 level 2A

Feature 6014 in S E wall

Feature in NW Corner

round stain with shell

6013

POPE

May 30, 1985
overcast - clearing in P.M
Betsy sick in AM - Cance in at noon
and helped Julie

May 31, 1985
Raining Cats dogs, but we
are physically tough and have
a good mental attitude
so we will stick it out!

Dinner with Cassa
wednesday

6.34

121

June 3, 1985
warm + clear
heavy equipment here to clear
area 6B1
Jim Errante working over here

6

Unit 6110
done level 14 (2B surface)
dark squirrish stain in
NW corner
feature 6016

BW 72(36-37) 6017
C 140(27,28) 6018

	Unit	level	Fig #	SS		Coordinates
5/	6111	14	3983			S198 E312
5/	6B 7808	1A	3997		DD	S155 E398
	6B 7808	1A	3998	SS	DD	
5/	6B 7808	2A	3999		DD	S155 E398
9/	6B7808	2A	4000	SS	DD	
6/3	6082	14	4005			S194 E310
6/5	6016	Z04	4025			✓
6/3	6016	Z04	4026	SS		✓
6/3	6124	14	4039			S200 E310
6/6	F6016	Z03	4074			✓
6/6	6125	2A	4092			S200 E312
6/5	6125	2A	4093	SS		~~S194 E312~~
6/5	6083	14	4094	SS		S194 E312
6/6	6123	14	4134			S200 E308
6/6	F6006	Z14	4138			unit (6110-6111) ✓
6/6	F6006	Z14	4139	SS		✓
6/7	6138	14	4144			S202 E310
6/8	F6014	A02	4176			✓
6/8	F6014	A02	4177	SS		✓
6/8	F6018	Z02	4178			✓
6/8	F6018	Z02	4179	SS		✓
6/8	F6006	Z16	4180			unit 6083 ✓
6/8	F6006	Z16	4181	SS		6082 ✓
6/10	F6014	A10	4207			✓
6/10	F6014	A10	4208	SS		✓

123

June 4, 1985

east 304 } area 6A
south 188 }

June 5, 1985
raining
Kathy will be gone
Fridy - Tue back wal.
trying to work as long as
rain holds off

Unit 6124
Feature 6017
circular stain in S. wall

Feature 6018
lg - Square feature in west wall

June 6, 1985
overcast - clear 1 P.M.

June 7, 1985
clear
Kathy out today

Unit 6082
Feature 6019
dark crackerstone

June 10, 1985
Clear + warm.
Betsy - car broke down
Kathy in Montana

need to finish farther
✓6013 in progress
6006 in progress
✓6017 in progress
✓6018 in progress
✓6019 in progress
6010 in progress
✓6025 in progress
✓6032 " "
✓6033 in progress

Unit	level	Bag	Comment	Coordinate
6/ 6122	14	4209		S200E306
6/ F6014	A 09	4219		
6/ F6014	A 01	4220		
6/ 6108	14	4221		S198E306
6/ F6006	Z13	4234		
6/ F6006	Z13	4235	SS	unit 6124, 6125
6/ F6006	Z15	4240		unit 6096, 6097
6/ F6006	Z15	4241	SS	
6/ 6013	Z04	4253		
6/ 6013	Z04	4254	SS	
6/ 6152	14	4273		S204E310
6-12 F6013	Z03	4289		
6-12 F6018	Z01	4290		
6-12 F6019	Z02	4293		
6-12 F6019	Z02	4294	SS	
~~F6010~~	~~Z08~~	~~4297~~		
~~F6010~~	~~Z08~~	~~4298~~	~~SS~~	
6-12 F6017	Z02	4305		
6-12 F6017	Z02	4306	SS	
6-13 6150	14	4309		S204E306
6-13 6094	14	4321		S196E306
6-13 F6018	Z11	4322		north half
6-13 F6018	Z11	4323	SS	below Z01
6/13 6139	14	4332		S202E312
6/13 6151	14	4333		S204E308

June 11, 1985
warm & clear
rained in P.M.
Betsy came in early & stayed
late

June 12, 1985
looks like rain
Stephanie 15 min late
Becky 2:25 late - left at noon
David left at 1:00
at app. 1:00 - the rain was
so intense that Wheaton yelled
that screeners could stay, ~~the~~
the rest could go to the lab,
then he got in the van and
pulled out, saying "I guess no-one's
going to the lab". He totally
ignored the fact that 80%

of the people did not hear his announcement & the crew chiefs were telling them & checking the units to see that they were covered. This was one of the most unprofessional uncontrolled actions, I have seen from any so-called professional. Any shreds of respect for the man's position were destroyed at that moment. He did not even bother to ascertain whether or not a crew chief was staying. I checked that Chuck would be there and then left to do so. The previous actions are the least matter, the total lack of organization & failure to control the site are explained now; he is totally out of control.

I HAVE HAD IT !

June 13, 1985
Clear & cool
Well #2 closed due to
Chemical Contamination
Both sided T-shirt
#6
single sided #5
no shaper
Texture - unit 6152 14
west wall 6025
square stain

Unit	level	Bag	Comment	Coordinates
6-13 F6019	Z01	4334		
6-13 F6019	Z11	4354		lite brown stain around f. pt. N.
6-13 F6019	Z11	4355	SS	
6-13 F6010	Z06	4362		
6-14 F6010	Z11	4389		Zone below yellow clay south half (208) 206
6-14 F6010	Z11	4390	SS	
6-14 F6033	Z04	4391		
6-14 F6033	Z04	4392	SS	
6-17 F6025	Z04	4395		
6-17 F6025	Z04	4396	SS	
6-17 F6033	Z03	4401		
6-17 F6006	Z12	4406		unit 6138
6-17 F6006	Z12	4407	SS	
6/17 F6025	Z03	4425		
6/17 F6032	A11	4426		EAST half of mold
6/17 F6032	A11	4427		
6/17 F6032	A03	4430		
6/17 F6032	A03	4431	SS	
6/18 F6032	A12	4436		west half of mold
6/18 F6010	Z01	4437		
6/15 F6032	A04	4438		
6-18 F6006	Z11	4468		unit 6152
6-18 F6006	Z11	4469	SS	
F6010 6-19	Z12	4512		Zone below yellow clay north half

June 14, 1985
Cool + clear
job list in trailer
Betsy out sick - worked 2
hours on mapps

no scope
Feature in NW quad
of unit 6151 level 1Y
is 6032
dark squamit stain

Feature in 6094 - 1Y
St Corner
dark stain
Feature 6033

June 17, 1985
clear
rained over weekend so units
were in bad shape.
Betsy working on mapps.
no scope

June 18, 1985
Cool & overcast

Silas will be here today to interview on last features in area — still no scraper. People are pretty much frowed — twiddling since they know that they are running out of work and they will have to kill themselves next week if (BIG IF) we get the scraper. Crew morale is at a very low ebb.

A near accident with the chain saw scared everyone today. Since the beginning of the project, chain saws have been operated without chaingloves, goggles, gloves and even in the rain when Antonio has his way. A number of crew members have expressed their concerns, but Antonio has no concern for safety.

June 19, 1985
Warm & Clear
Betsy still working on maps
sent Becky to bed as her
feature was done.
Stephanie to Screen
David & Kathy finishing
feature
The grapevine hasn't that
press-day is next Thursday
and over 4 will be in the
town. Hope they knew
just how bad that oven looks!

June 20, 1985
rained overnight
Clear this A.M. no green carp.
machine is here, but no
driver.
driver is about mid morning.
finished feature —
Kathy & Stephanie screening
Becky working for Mark
David painting
Betsy working on maps.

Jeff will be in a bad mood monday
treat him good!

June 21 –
Clear & warm
left early –

June 24
Clear & hot
Cars got broken into at
parking lot.
Continued shovel shaving
began mag

June 25
Clear & warm
half-section features

June 26
Clear + warm
Continued mapping
6B
want back to follow
feature 6006 in 6A
tongues are flaring on this site

June 27
Clear + warm
continued working on
F 6006 Z17
pits 82 (35-36)
166 (30-31)

June 28
Clear + warm

Feature	Section	Bay	Comment
6/25 7108	Z02	4587	
6/25 7108	Z02	4588	SS
6/25 7107	Z02	4589	
6/25 7107	Z02	4590	SS
6/25 7118	Z02	4591	
6/25 7118	Z02	4592	SS
6/25 7128	Z02	4618	
6/25 7128	Z02	4619	SS
6AF6006 6/26	Z17	4666	unit 6069
6AF6006 6/26	Z17	4667	SS
~~6A 6055~~	~~14~~	~~4668~~	~~5190 E 312~~
6A 6042 6/24	14	4669	5188 E 314
6A 6027 5/27	14	4668	5186 E 311.5

NORTH Edge

F 7163	TH	MH	BH	L
TOP EL.	2.71	2.5	2.3	
Bottom El.		2.78		

F 7162	TH	MH	BH	L
TOP EL.	2.69	2.48	2.28	
Bottom.		2.78		

D. J. — MC

Awards Dinner

Doug-me-Chuck

Jim, Roman, D. J., Betsy, Mel

Kathy

The cow-bell award for Jeff

Spray the cow-bell for Kathy

Matches for David

Mad-maddox Emonte

Romeo Birthday - May 22